

Issue 14 - Complete Range





WWW.REGIN.C.UK



Regin Products Ltd 8-13 Tower Square Huntingdon Cambs PE29 7DT www.regin.co.uk

Regin Products Ltd reserves the right to alter design, material and product specifications of any product in the interests of progress and development without prior notice.

Details and descriptions are correct at time of print. Errors and omissions excepted.

Please Note: All measurements and quantities in this publication are approximate.

Contents

Testing Equipment	
 Electrical Testing Flow & Pressure Gas Detection Smart Metering Temperature Kits & Accessories 	102832
Tools	
 Brushes and Abrasives Electrical Connectors Electrical Hand Tools Lighting & Miscellaneous Plumbing Hand Tools Specialist Tools Storage Bags, Cases & Tool Boxes 	50 51 54 58
Consumables	
 Aerosols & Paint Batteries Cleaning Wipes, Absorbtion & Drainage Dust Sheets & Work Mats First Aid & Fire Glass Yarn & Fixative Gloves & Workwear Inspection Hatches Leak Detection Location Plates Miscellaneous Spares Report Pads Sealants, Pastes & Lubricants Smoke Solder Mats 	78 80 86 86 89 93 94 95 96 99 108



Contents

Contents

 Specialist Part Kits	Y
Bits'n'Bolts	
 Electrical Connectors Fuses Miscellaneous Bits'n'Bolts Nuts Olives O-Rings PCB Support Posts Screws Spire Nuts Tapes & Labels Washers 	
Liquid Fuel	
 Flared Fittings Miscellaneous Report Pads Stickers Testing 	
Index	
Product Code Index	


Testing Equipment















Testing Equipment

Testing Equipment

Magnet Testers, Volt Sticks, Multimeters, Continuity Testers etc.	3
Pumps, Manometers, Hoses, Pressure Kits, Flow Cups etc.	0
• Gas Detection 2	3
Smart Metering	3
O Temperature Kits & Accessories Thermometers, Thermometer Kits, Probes etc.	3

REGTO8

MagTester Plus



Quick, easy test for solenoids, relay coils and motor starters - nearly anything magnetic.

- Safely check solenoids and relays even while the equipment is running.
- When MagTester Plus is near a magnetic field the tip lights up.
- Works on any magnetic field, AC, DC or permanent magnets.
- Comes with a test magnet housed in end cap.

REGT17

Multi-Test Electrical Screwdriver



Quick, safe and simple to use

- Fully insulated no finger contact to operate.
- Clearly identifies phase-neutral/earth.
- Simple microwave leakage test.
- Bright indication even in sunlight.
- Quality tough polycarbonate construction.

REGXE09 AC Voltage Detector with Torch



- Non-contact detection of AC voltage from 100VAC to 600VAC.
- Glows red to indicate voltage.
- For use on 50/60Hz circuits.
- Built-in bright flashlight.
- CAT III 1000V.



Volt Stick



- The New Volt Stick non-contact voltage detector provides excellent voltage detection.
- New balanced sensitivity gives more accurate detection.
- Low current circuits means long battery life.
- Clearly detects 90 600 V AC without metal contact.
- · Tip glows red when voltage is detected.
- Pocket size for handy use anywhere.



Duo Voltage Sensor

REGT18

- Quickly detects 50 600 volts AC without direct metal contact.
- · Dual sensitivity helps pinpoint the live wire.
- Bi-colour LED indication of correct operation (green) and volts present (red).
- Audible indication of correct operation and warning of volts present.



Contact Voltage Detector

REGXS19

 Dual function hazardous voltage and live phase finder to protect operatives from dangerous live circuits.

See Page 33 for full details



 Designed to give a quick and easy indication of correct wiring

at the socket.

Audible Mains Socket Tester

See Page 32 for full details



REGXS22

@REGINPRODUCTS

WWW.Regin.C.UK

REGXE40

Low Cost Multimeter with Temperature



- EN61010-1 CATIII 600V.
- Double moulded plastic housing.
- Auto Ranging and Data Hold.
- Type K temperature probe.
- Probes and temperature probe (K-Type) included.













Power Off Measurement

Operation

REGXE15

Voltage/Continuity Tester



- Continuity Test.
- Single Pole Phase Test.
- Self Test Button.
- Measurement point illumination.
- LED Voltage Range (AC/DC): 12, 24, 36, 50, 120, 230, 400, 690V.
- CAT III 1000V / CAT IV 600V.











Continuity

Easy Operation

One-Touch Digital Multimeter

REGXE50

Fully automatic digital multimeter with true RMS

The REGXE50 One-Touch Digital Multimeter is a fully auto range meter that automatically measures AC/DC voltage, resistance as well as providing a continuity check with buzzer.

The REGXE50 One-Touch Digital Multimeter is a dialless, 4000 count, true RMS digital multimeter that automatically measures AC/DC voltage, resistance and continuity.

· Complete with batteries, quality probes and holster.

Advanced features:

- True RMS, auto range, 4000 count.
- Large LCD display.
- Single button operation.
- Auto power off.
- Audible sound and visible indication during continuity check.
- Protective holster.
- Software calibrated, no variable resistor adjustment.



3-in-1 Autoranging Multimeter

REGXE45

- Auto Ranging.
- Data Hold.
- Non-Contact Voltage Detection.
- Auto Power Off.
- Flashlight.
- 20 mA Fused protection.
- EN61010-1 CATIII 1000V.
- · Diode Check.
- Continuity Test.
- Double Moulded housing.







Power Off Measurement





Easy Operation




Testing Equipment

REGKOI

Vessel Jet 2 Pressure Vessel Inflator



REGK29 - Regin angled adaptor for assistance in severely restricted access situations.



The Regin Vessel Jet 2 is a German designed professional hand held air compressor. It is an ideal tool for:

- Filling Pressure Vessels on Pressurised and Unvented Cylinder Systems (Average 8 litre pressure vessel inflate time: 1.5 bar in 1 minute).
- regin.co.uk REGIN
- Topping up pressure in van tyres
 (A 175 R 14 Vehicle tyre inflates, on average, from 0 36 psi (2.5 bar) in 8 minutes.
- Inflation of bicycle tyres and sports equipment with the additional adaptors supplied.

The Regin Vessel Jet 2 is easier to use than a hand or foot pump, especially in restricted areas.

Portable, versatile and durable, The Vessel Jet 2 is the perfect travel companion for your mobile inflation requirements.

Vessel Jet 2 includes:

- Ergonomic high pressure air compressor
- Built-in digital gauge with preset function in bar, psi or kpa
- Built-in LED light for pinpointing valve in dark locations
- Extended 75cm pressure hose with thread connector for secure fitting to schrader valve
- Preset Auto Stop at desired pressure
- Auto shut off if connection poor
- Instant pressure reading ideal for 'topping up' pressure
- Back-lit digital display
- · Rechargeable Li-ion Battery Pack (no memory effect)
- · AC Charger for Li-ion Battery
- Travel carrying bag included
- Adaptors for balls and inflatable toys included
- Max pressure: 110psi / 7.6 bar



Easy to read Illuminated Digital Display



Rechargeable Lithium-Ion Battery



Average 8 litre pressure vessel inflate time: 1.5 bar in 1 minute from empty REGXE01

Dusta Duo Air Duster & Vacuum



werful Cordless Air Duster

- Our Dusta Duo 2-in-1 Air Duster & Vacuum features a super powerful motor. With its compact size, it can effectively remove dust from almost anywhere.
- Can be switched from being a blower to a vacuum with a simple twist action.
- Can be charged from multiple USB devices. Charging is easy and convenient.
- Up to 30 mins of use per charge
- 2 Speed settings
- Suction mode
- Blower mode





See it in action!











Regin













Dry Pipe Pressure Test Kit

REGK10

- Assists the testing of pipework at the carcassing stage.
- Kit comprises: Cordless pump, see Vessel Jet REGK01 (p10-11). Spare Lithium Ion rechargeable battery. Mains charger. Pressure manifold. Pressure gauge. Pressure control valve. 15mm Speedfit connector. 22mm Speedfit connector. Book of certificates. Instruction manual.
- All supplied in a padded carry case.



Pressure Vessel-Checker

REGXIO

- Digital Pressure Gauge.
- Suitable for easy checking of expansion . Rubber grip finish. vessel pressures.
- Reads pressure in PSI, Bar & KPA.
- Pressure range: 2-99 PSI, 0.15-7 Bar & 15-700 KPA.
- Can also be used for vehicle tyre pressure checks.
- Auto shut-off.
- Illuminated display/nozzle.
- Supplied complete with batteries.



REGK30

Pressure Vessel Hand Pump



3 metre extended hose.



- For pressurising pressure vessels.
- Freestanding.
- 0 5.1 Bar (0 75 p.s.i.) barrel mounted gauge.
- 3 metre extended hose helps access difficult to reach pressure vessels.
- Durable steel barrel.
- Oversize barrel for high efficiency.


REGK55

Pump Carry Case / Holdall





- Designed to securely store your Regin Vessel Pump and accessories (will also fit most other brands).
- Two zip up pockets to safely store your pump adaptors, valve cores, spare parts etc.
- Made of high quality Oxford cloth with a water resistant finish.
- Strong handle and shoulder carry strap.
- Size: 66cm x 32cm x 15cm depth (approx).



Top Up Hand Pump

REGK60

- A compact, lightweight and convenient mini pump for inflation and pressure adjustments.
- With a lightweight chassis and a compact foot print, the pump fits in your tool bag or pocket with so little bulk you'll barely notice it's there until you need it.
- Double telescoping body for more effective inflating.
- Complete with a 600mm hose to help access. those difficult to reach pressure vessel valves.
- Fitted with a 4 Bar (approx. 58 p.s.i.) gauge.
- With quick fastening lever for easy and secure fitting to valve.







For use with REGK30, REGK60 & REGK01.

- Helps access those difficult to reach pressure vessel valves.
- Can also be used with REGK01 Vessel Jet Inflator and REGX10 Digital Pressure Vessel Checker (see page 13).



REGK3.

REGK34



- 10 cores per pack.
- Genuine Schrader™ product.

Schrader

- Nickel-plated brass.
- Teflon seal.
- Standard flow.

Screwdriver Too

Pressurisation Pump Straight Adaptor

For use with REGK30, REGK60 & REGK01.



For added reach.

 Specialist tool for removing the core from Schrader valves.

WWW.Regin.@.uk

@RegINPRODUCTS



Premier manometers use higher density fluid than conventional water-filled gauges allowing reduced length and more compact design.

- A solid acrylic gauge in a tough metal casing.
- Easy zero adjustment and a clear accurate scale.
- Blue fluid for ease of reading in poorly lit locations.
- Trap chambers reduce the possibility of fluid loss through spillage or overpressure.
- Suitable for Natural Gas and L.P.G. readings*.
- Hanging slot and strap.
- Supplied in a nylon protective bag.
- Please note: use only 1.88 SG fluid (REGU70).
- · Comes pre-filled with fluid.
- Spares available (see p96):



• Premier Gauge Bag • Premier Gauge Screw & O Ring



Premier Fluid

REGU70

5ml

- Fluid has a specific gravity of 1.88 SG.
- Exclusively for use in Regin Premier Gauges (REGU33, REGU35 & REGU40 - see opposite).
- Contents: 5ml (enough to completely refill a Premier 45 - REGU35)



REGUIO

12" U Gauge



- Measures up to 12in.w.g or 30 mbar. on dual scale.
- 'U' tube made from perspex.
- Built-in stand for hands-free use.
- Suction cup.
- Sliding scale for easy zero.
- Use 1.00SG fluid (REGU45 - see below).

REGUI5

18" U Gauge



- Measures up to 18in.w.g or 45 mbar. on dual scale.
- 'U' tube made from perspex.
- Built-in stand.
- Suction cup.
- Sliding scale for easy zero.
- Suitable for Nat. Gas and L.P.G. readings.
- Use 1.00SG fluid (REGU45 - see below).

REGU20

24" U Gauge



- Measures up to 24in.w.g or 60 mbar. on dual scale.
- 'U' tube made from perspex.
- Suction cup.
- Sliding scale for easy zero.
- Suitable for Nat. Gas and L.P.G. readings.
- Use 1.00SG fluid (REGU45 - see below).

REGU45

Manometer Fluid





22ml

- Fluid has a specific gravity of 1.00 SG (the same as water).
- · Dyed blue to improve visibility.
- For use in all Regin U Gauges (except Premier Gauges & 'J' Gauges).





- PVC 'U' tube.
- Sliding scale for easy zero.
- Key-hole suspending slot.
- Use 1.00SG fluid (REGU45 see opposite).
 - Available in two sizes:
 - REGU05 Contract 30. 30mbar gauge.
 - REGU25 Contract 60. 60mbar gauge. Suitable for Natural Gas and LPG readings.



REGU3

J Gauge Fluid





10ml

- Fluid has a specific gravity of 1.99 SG.
- Exclusively for use in Regin J Gauges (REGU30 & REGU32 - right).

J Gauge Manometers

See Below

REGU32

- Reduced overall length for easy use.
- Supplied complete with unique 1.99 SG fluid (REGU31).
- Levels are indicated by a floating ball in a liquid column.
- Trap chambers help minimise loss of manometer fluid.
- Use only 1.99SG fluid (REGU31 - left).



- REGU30 48" / 120mbar. Overall length - approx. 32" (810mm).
- REGU32 60" / 150mbar. Overall length - approx. 38" (960mm).

REGU30



@Reginproducts

WWW.Regin.Q.UK

Rubber Tube 2m pack REGU50



2m pack

- 6mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Natural Gas.
- Temp. range: approx -65°C to +70°C.

REGU60 Neoprene Tube 2m pack



2m pack

- 6.5mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Nat. Gas and L.P.G.
- Temp. range: approx -40°C to +100°C.

Rubber Tube 18m coil



18m coil

As REGU50 above, but in a bulk size.

Neoprene Tube 18m coil



18m coil

As REGU60 above, but in a bulk size.

Silicone Tube 2m pack



2m pack

- 4mm internal diameter.
- Temp. range: approx -70°C to +200°C.

REGU98 Yellow Hi-Viz Silicone Tube



2m pack of highly visible yellow silicone

- 6mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Nat. Gas.
- Temp. range: up to +150°C.











Testing Equipmen

Radvalve Change Kit

REGRO5

- Used for changing radiator valves without draining down.
- The kit comprises of 2 patented rubber bungs, jubilee clip and a radiator air bleed key.
- Supplied in strong nylon zip bag.
- Can be used in conjunction with REGR01 Draineasy Radiator Draining Kit or REGR10 Radtrap Drainage Pad (below).
- For use on 15mm & 22mm pipework.



Draineasy Radiator Draining Kit

REGRO1

- Drain Radiators Fast!
- Avoid unnecessary mess.
- · For professional or DIY use.
- Universal application for 8mm, 10mm, 15mm & 22mm pipework.
- Can be used in conjunction with REGR05 Radvalve Change Kit (see above).
- Kit comprises: 4 x Water Diverting Collars for 8mm, 10mm, 15mm and 22mm pipework, Reusable Sealing Strips, Draining Tray and Water Resistant Barrier Gel.



Radtrap Drainage Pad


REGRIO

- Quick easy method of channelling radiator contents into a suitable container, minimising spillage.
- Withstands hot water and chemical additives.
- Supplied with fixing clip.
- Can be used in conjunction with REGR05 & REGR01 (see above).



REGRO9

Drain Down Hose Kit



10m length of rubber hose

- Internal diameter: 1/2", outer diameter: 3/4".
- Made from actual formed rubber, NOT the imitation plastic rubber used in cheaper drain down hoses.
- · Complete with jubilee hose clip.
- Supplied with velcro 2 x 'tidy-straps' for neat coiling.
- Storage bag available (see opposite).

REGR65

Brass Straight Hose Joiner



A brass union for connecting two Drain-Down hoses (*REGR09 - above*) together.

 Quickly and easily join two lengths of 1/2" rubber hose together.


REGR60

Multi Drain Down Hose 1/2" / 6mm



A 300mm length of 1/2" hose, 2m length of 6mm rubber hose and a brass connecting piece. Complete with jubilee hose clip.

- Fits most boiler's drain connection.
- Fits most boiler's bleeding points.
- Fits Analyser probes for test points and pressure readings.
- · Compact, durable, and lightweight.



lesting Equipmen

Extra Long 15m Drain Down Hose Kit

REGR15

Extra-Long 15m length of rubber hose

- As per our original Drain Down Hose (REGR09, opposite), but now in a handy 15 metre length.
- Made from actual formed rubber, NOT the imitation plastic rubber used in cheaper drain down hoses.
- This 15 Metre hose fits perfectly in the REGR08 Regin Tubing/Cable Storage Bag (Supplied* - see below), which will keep it tidy and drip free in your work van after use.
- Printed with the 'REGIN' logo across the length of the hose to indicate a genuine Regin product.
- 15M Length.
- I.D 1/2", O.D 3/4".
- Complete with two velcro 'tidy straps', jubilee clip and storage bag*.



Please note: Rubber Hose is for draining down only -

Tubing / Cable Storage Bag REGROS

Ideal storage solution for your Drain Down Hose Kit

- Size: 40cm diameter x 8cm depth (approx).
- Made of high quality Oxford cloth with an improved chunky zip.
- Perfect storage solution for your Drain Down Hose Kit.
- Can also be used to neatly store your EV charging cables.
- Strong handle included for easy carrying or hanging when storing.
- Easy to wipe down and clean.



REGUTT

Standard Pressure Relief Kit



- Set the correct let-by and tightness test pressure on your manometer.
- No need to repeatedly remove hose to make pressure adjustments.

LPG Pressure Relief Kit c/w Valve Adaptor



- · Complete with connector for most modern LPG regulators.
- Set the correct let-by and tightness test pressure on your manometer.
- No need to repeatedly remove hose to make pressure adjustments.

REGUT9

Gas Hob Test Adaptor



- Brass adaptor for testing cooker gas hobs allowing pressure readings to be taken.
- · Easily test the gas pressure on your hob to ensure it is working correctly and safely.
- Conforms to Gas Safe Technical Bulletin 161 (TB161).
- Comes supplied with 1m neoprene hose.

REGU75

Brass Pressure **Test Tee**



For use when tightness testing.

Pressure Test Kit Complete

REGU80

- Comprising a hand pump, short length of rubber tube, brass pressure test tee and a 1/4" BSP (F) x 15mm compression straight adaptor.
- This kit is required to pressurise and check the tightness of gas supply pipes in conjunction with a 'U' gauge (see p16-19).
- Supplied in strong nylon zip bag.




MRT Manometer Rigid Tube | See Below

- A rigid extension to manometer tubing allowing the engineer to take gas pressures in a faster and more efficient manner.
- Best Boiler Engineer bespoke tool developed for many years.
- Connects immediately to tapered gas nipples on a boiler's gas valve.
- Excellent for all Boilers especially BBU's.
- Supplied with 1 metre length of rubber tubing.

Instead of fiddling around trying to find the tapered gas nipple on a boiler's gas valve, which is often set way back in the depths of the unit, you simply attach your manometer tubing to the M.R.T. This provides a rigid platform which then connects to the gas valve. The product saves endless time and hassle allowing the engineer to do their job more efficiently and effectively.





Available in two types:

REGUO3

- **MRT Manometer Rigid Tube.** • REGUO3 -Standard (Straight).
- MRT Manometer Rigid Tube. • REGUO4 -90° Degree.

REGUOI

Gas Test Nipple Adaptor



- A unique adaptor that screws into a standard test nipple to eliminate the difficulties of attaching a rubber hose.
- An 'O' ring on the adaptor creates an effective seal.
- This unique product will save on working time and pay for itself very quickly.
- Supplied with a length of neoprene hose.

REGU81

Flexible 10mm Nut Driver



- Ideal for removing Gas Test Nipples with the built in 10mm Hex end.
- Shaft is flexible but retains rigidity allowing you to access tight spaces.
- Perfect companion to a Regin Premier Gauge when performing Gas Pressure tests at the meter.



Remove test nipples effortlessly.

REGU83

Stopwatch



- For tightness and other timed tests.
- · Normal time and alarm functions.
- 1/100-second accuracy with lap counter.

lesting Equipmen

Flow Cup c/w Splashguard

REGM33

- · For measuring water flow rate.
- Suitable for Benchmark testing.
- Splashguard to protect hands from hot water.
- Dual Scale 1/2 to 5 gallons per minute and 2 to 23 litres per minute.
- Can be adjusted for left or right hand use.



Therma-FloCup c/w Splashguard

REGM31

- For measuring water flow rate.
- Measures both temperature and flow.
- · Suitable for Benchmark testing.
- Splashguard to protect hands from hot water.
- Dual Scale 1/2 to 5 gallons per minute and 2 to 23 litres per minute.
- Integrated digital thermometer.
 -50°C to +150°C (REGM32 see p38).
- · Can be adjusted for left or right hand use



Mains Water Pressure Test Kit

REGR50

- Easy to use.
- Kit comes complete in a zip bag with an 11 bar/160 p.s.i gauge and a flexible stainless steel braided hose, fitted with a 3/4" B.S.P. Female nut.
- For use on washing machine tap, bib tap or sink tap with adaptor.



REGXA/ One-Click Ratio Analyser



One-Click Analyser

Regin One-Click Analyser A simple, accurate means of measuring boiler performance

- Meets the requirements of BS 7967
- Direct CO2 measurement
- Up to 10 year warranty**
- Easy to use one-click function
- Suitable for use with all common 'domestic' fuels includina: Natural Gas, Propane, Butane, LPG & Light Oil 28-35 sec



Measures:

- CO 0-2,000ppm
- O2 0-21%

Calculates:

- CO2 0-20%
- CO/CO2 ratio
- Excess air
- Infra red printer available separately.
- Up to 10 year warranty available. Analyser must be recertified annually by Regin's recommended service provider

Featuring:

- Large 6 line display
- CO sensor overrange protection
- Print to optional printer*
- **USB** charger
- 10 year warranty**
- Protective rubber boot with integrated magnets for hands-free use
- Rechargeable (Batteries included)





lesting Equipmen

Analyser Infra-Red Printer

REGXA55



- Rugged, battery powered printer fitted with protective rubber sleeve with integrated strong magnet.
- Uses thermal paper instead of messy ink or ribbon.
- Compatible with REGXA1.
- Uses 4 x AA batteries.

Analyser Readings Record Pad

REGP80



50 copies in duplicate

- Top copy is self adhesive.
- Also acts as an Annual Service Reminder.

Thermal Printer Rolls

REGXA56



5 per pack

 For use with REGXA55 Analyser Infra-Red printer.

Analyser Replacement Filter

REGXA5



 Replacement filter for Regin Analysers.

Analyser Case - Small

REGXA7



 Protective case for Regin Analyser.
 Please note: Analyser Probe will not fit inside this case.

@RESINFRODUCTIS

MAMIRATINGUR

REGX38

Analyser Test Point Plug - Single Wall



Single Wall

- Analyser test point plug.
- For single walled flue.
- Provides easy analyser probe access.
- Easily to use.

REGX39

Analyser Test Point Plug - Coaxial Wall



Coaxial

- Analyser test point plug.
- · For dual walled flue.
- Provides easy analyser probe access.
- Self-tapping.
- Easily to use.

REGX37

Analyser Test Point Plug -Single Wall Condensing Type



Single Wall

- Analyser test point plug.
- Non-corroding: for Condensing Boilers.
- For single walled flue.
- Provides easy analyser probe access.
- Easily to use.



Sniffa Plus

REGX75

Sniffa Plus Gas Leak Detector

- Detects the presence of gases such as: Methane, Natural Gas, Butane, Propane and most other combustible gases.
- Quick and Precise
- Highly Sensitive and Reliable
- Quick Response
- 400mm Flexible Probe



Mobile CO

REGX01

Carbon Monoxide Detector

The Regin Mobile CO monitors, records and alerts you to the presence of dangerous carbon monoxide in ambient air. The visual display constantly indicates precise quantities while the audible and visual alarms respond to various threshold levels.

- Extended sensor life 5 years.
- 3-colour warning light:
- · Audible alert at 30 ppm.
- MAX capture continually updates highest CO reading.
- CO detection to 999 ppm.
- Auto zero activates upon turn on.
- Backlit display.
- · Low battery indicator and belt clip.



REGXS500 Smart Metering Kit (Electrical)



Regin REGXS500 The complete solution to Smart Metering installation. The kit contains all the tools needed to ensure safe isolation procedures and checks can be carried out before, during and after installation.

REGXS500 kit contains:

Audible Mains Socket Tester



The testers are designed to give a guick and easy indication of correct wiring at the socket. Particular emphasis is placed on detecting very dangerous wiring conditions such as reversed live earth connections and disconnected wires.

- Bright, durable LEDs out-perform fragile, low visibility neons.
- · Tough, smooth-contoured construction.
- Advanced electronic circuits mean positive and reliable indication.
- Audible signal gives additional information.
- Fuse finding facility.



REGXS400 Proving Unit

See p35 for full details.



Two Pole Tester (HiLoZ) REGXS/5

The REGXS15 can carry out a physical Impedance check to indicate hi or low Impedance on the circuit being worked upon, therefore indicating that the item under test has no dead short connections. The Red LoZ LED illuminates to indicate an Impedance of less than 100 ohms has been detected. The operative would immediately know not to proceed and to conduct further investigation. The Green HiZ LED illuminates to indicate a high Impedance of more than 100 ohms ensuring that the engineer is safe to re-energise the meter.

Ghost or induced voltage can be an additional problem. Most 2 pole testers that allow you to test for ghost voltages do this by varying the load on the circuit by depressing two buttons, one on the main tester and the other on the passive probe. The REGXS15 does this automatically and has no buttons to depress.

- Clear and unique Circuit Impedance Indication for added safety.
- Front dual; high visibility, colour coded LED display of voltage and hi/lo impedance.
- Secondary base display for safe arms-length indication.
- Interchangeable straight and right-angled GS38 compliant test prods.
- No batteries and no buttons for simple, reliable operation.



Contact Voltage Detector

REGXS19

The UK designed REGXS19 is a dual function hazardous voltage and live phase finder which will detect if voltages greater than 50VAC are present and ensure safety for it's operative, making it a safe addition to any Engineers Toolbox.

As the REGXS19 uses direct contact for measuring (using the safest method known - capacitive coupling), the identification of the Live Phase is more certain than using Non-Contact Voltage Indicators or similar devices.

The REGX\$19 is extremely safe to use as there is no need to operate touch pads or any other direct contact method to operate the unit correctly.

- Voltage measurement range 50 600VAC.
- Safe Live Phase detection.
- Flashing Red front section plus audible warning indicates greater than 50VAC is present.
- Slow flashing blue LED with single beep monitors REGXS19's electronics are working correctly.
- REGXS19 is fully functioning even if wearing full PPE.
- Robust construction with IP54 water and dust ingress rating.
- Probe tip conforms to HSE Recommendation GS 38.



REGXS600

Electrical Safe Isolation Kit



The Regin REGXS600 is a comprehensive kit for safely isolating the electrical supply.

Conforms to Technical Bulletin 118.



REGXS600 kit contains:

REGXS150

2 Pole Tester with LED



The REGXS150 is a simple to use voltage tester capable of measuring both AC and DC voltages. Designed and built in accordance with CAT IV 600V safety standards, EN61010 and HSE GS38, the REGXS150 is battery-free and displays AC/DC Voltage in 6 steps - 6-12-50-120-230-400V. It's compact design and incorporated safety features make it simple to use.

- Six voltage range 6-12-50-120-230-400V AC/DC.
- Built to CAT IV 600V safety standards.
- Conforms to HSE GS 38 tip standards.
- Compact design encourages safe site use.
- 1.4 metres of ultra-flexible double insulated cable.
- No batteries required.
- Conforms to EN 61010.



REGP94

Lock Off Plate / Tag

1 tag supplied per kit

- Approx. 150mm x 40mm plastic with pre-drilled hole.
- Clearly visible notice plate, made from durable plastic.
- Cable tie supplied.



Locking Off Device | REGXS10

The Regin Locking Off Device is an ideal lightweight lock suitable for electricians where safety is of the highest priority.

Designed to fit most MCBs the kit consists of an easy to use combination lock which removes the need for a keyed system.

The REGXS10 locking off device is an affordable alternative to much larger commonly used MCB lockout devices.

- Universal lock produced to fit most MCBs.
- Just set your own combination, no more keys to lose.
- · Fast effective system taking only a few seconds to lock off.
- One size fits main toggle switches and MCBs.
- Compact lightweight design fits all toolkits.
- 'Locking off' makes installation safe and is good practice.
- Hard wearing shackle.
- Lock Off Plate can be hung from shackle.
- Saves time one size fits all.



Proving Unit REGXS400

The REGXS400 provides a safe and reliable means of checking the correct functioning of Multimeters and two pole Voltage Indicators (VIs) before and after use as advised in the Working Practice for electricians. Additionally they have the capability of checking the operation of Non-contact voltage detectors.

The REGXS400 is a battery powered proving unit.

The REGXS400 will also test two-pole VIs that use small incandescent lamps to indicate that voltage is present. REGXS400 has a unique and logical safety function - the test voltage generated is at 50Hz to synthesise a genuine test at AC mains supply frequency - so it will always read correct using the AC range of your Tester or Multimeter.

- Intelligent voltage ramp for testing multimeters and Voltage Indicators.
- Generates from 50-690V with a true AC waveform output.
- Automatic operation and turn-off.



- Non-contact voltage indicator test feature.
- Powerful enough to light old filament style test lamps.

REGXS700

Smart Metering Kit (Gas)





Contents on opposite page

REGXP5

Component Exchange Loop Tester



Enhanced protection for you and your customers

- 4 in 1 LED tester loop, mains voltage, correct wiring, correct polarity.
- Fully protected against accidental phase to phase connection.
- Patented no-trip loop test technology.

Continued on opposite page...



The Regin **REGXS700** is the ideal comprehensive kit for installing and testing the new generation Smart Meters

REGXS700 kit contains:

REGA05 - Gas Tape 33m REGA10 - On/Off Tape 33m

REGJ65 - Continuity Bond 10mm REGJ65 - P.T.F.E. - Gas Spec One

Wrap
REGLO1 - Premier Leak Spray

REGM20 - Gas & Water Jointing Compound 250g

REGP36 - 'Danger Do Not Use' Sticker/Tag (x8)

REGP46 - Gas Safety Certificate
Pad

REGP55 - Warning Do Not Use

REGQ160 - Brass Pressure Test
Nipple (x2)

REGQ181 - Meter Sealing Discs

- 1" (x3)

REGQ185 - Meter Union Washers - 3/4" (x10)

REGQ186 - Meter Union Washers - 1" (x10)

REGS40 - Steel Earthing Clamp
REGS40 - Pocket Rocket Igniter

REGT16 - Premier Volt Stick
REGT91P - Plastic Heavy-Duty
Trade Toolbox

REGU05 - Contract 30mbar 'U' Gauge

REGU50 - Red Rubber Tube REGU77 - Standard Pressure

Relief Kit

REGU83 - Regin Stopwatch

 Accurate mains voltage measurement to latest BS 7697, HD 472 S1.

- Built in proven correct wiring indication.
- Unique Polarity test gives ultimate overall system safety check.
- Carrying case, test leads and manual included.



REGM32

Waterproof Stem Thermometer



- Replacement thermometer for REGM31.
- 133mm Stainless steel probe.
- Measurement range: -50°C to +150°C.
- Switchable °F/°C.
- Auto Power Off.
- Hold function.
- Max/Min function.







Temperature Power Off Measurement









Easy Operation Steel Probe

REGXE68

3-in-1 Thermometer



- Infra Red Temperature Measurement: -35°C to +260°C
- Thermistor Probe Temperature Measurement: -40°C to +260°C.
- Clamp Temperature Measurement: -40°C to +200°C (clamp opening ≈ 25mm).
- Switchable °F/°C.
- Auto Power Off.
- Hold Function.
- Max/Min Function.












Operation Steel Probe









Pocket Infra Red Thermometer

REGXE65

- Non-contact temperature measurement.
- Laser targeting.
- Backlit LCD Display.
- Measurement Range: -30°C to +260°C.
- Optical Resolution: 8:1 Distance to spot size.
- Switchable "F/"C.
- Auto Power Off.
- Hold Function.
- Max/Min Function.













Pipe Contact Thermometer

Power Off Measurement

REGV15

Easy to use surface pipe thermometer.

- Measuring range: 0 120°C
- Features a 80mm easy to read dial.
- The dial face has a clear, graduated scale indicating temperature in 2°C divisions.
- Supplied with a wrap-around spring kit for mounting to pipes between 1" and 2". For larger pipes it is possible to attach the thermometer using either tie-wraps or wire (not supplied).



Multi-Thermometer with Probe

- Fast response.
- 133mm stainless steel probe extendable to
- Measurement range: -50°C to +150°C.
- Switchable °F/°C.
- Auto Power Off.
- Hold Function.
- Max/Min Function.



Temperature Power Off Measurement







Large Display





WWW.Regin.Q.UK

REGVIO

Digitemp Thermometer Kit



- Kit comprises:
 - 1 x REGV20 Differential Thermometer.
 - 1 x REGV25 Water/Air Immersion Probe.
 - 1 x REGV30 Surface Probe.
 - 1 pair x REGV45 Crocodile Type Clamp Probes.

See opposite for full details and specifications.

Supplied in a padded carry case.

REGVII

Water & Pipe Temperature Kit



- Kit comprises:
- 1 x REGV20 Differential Thermometer.
 - 1 x REGV25 Water/Air Immersion Probe.
 - 1 pair x REGV45 Crocodile Type Clamp Probes.

See opposite for full details and specifications.

Supplied in a padded carry case

REGG175 Stove Pipe Thermometer



- · Monitor the performance of your wood or multi fuel stove.
- Easy to read.
- Attaches magnetically.
- "C and "F scales.
- Improves stove's efficiency.



Differential Thermometer

REGV20

- Measurement range: -50°C to +1300°C
- Max reading memory feature.
- Low battery indicator.
- Calculates temperature difference.
- Can be used as a single input thermometer.
- Dual input.
- Please note that probes are not included and should be purchased separately.



REGV45

Crocodile Type Clamp Probes



1 Pair

- Close fit to pipes for fast and accurate readings.
- Suitable for pipes from 6mm to 30mm in diameter.
- Operating temp. range: -50°C to +100°C.
- · Quick response time.

REGV25

Water/Air Immersion Probe



- Dimensions:
 3mm diameter x
 80mm long.
- Operating temp. range: -50°C to +250°C.
- This rigid, stainless steel probe is strong and versatile.
- Quick response time.

REGV30

Surface Probe



- Dimension:
 5mm diameter x
 100mm long.
- Operating temp. range: -50°C to +600°C.
- Probe has a spring loaded copper disc sensing tip.
- Quick response time.

Tools























Tools


0	Brushes and Abrasives Cleaning Strips, Cleaning Blades, Brush Sets, Bespoke Brushes etc.
0	Electrical Connectors
0	Electrical Hand Tools
0	Lighting & Miscellaneous 54
0	Work Lights, Torches, Magnetic Tools, Tap Turners, Bungee Strap etc. Plumbing Hand Tools Hex Keys, Multi Tools, Flexible Drivers, Spanners, Pipe Cutters etc.
0	Specialist Tools Inspection Mirrors, Fan Puller, Thermocouple Tester etc.
0	Storage Bags, Cases & Tool Boxes Padded Cases, Organiser Cases, Storage Solutions etc.

REGM40 REGM41

REGM40

Silicone Carbide Abrasive Strips

Silicone Carbide Abrasive Strip



- Ideal for use on deburring metal, plastic or wooden surfaces.
- Tough, waterproof and long-lasting webbed mesh bonded with silicone carbide grit.
- Medium Grade: 180 Grit.
- A high performing alternative to steel wool. emery and sandpaper.
- Non-clogging and washable.
- Wet & dry use.
- Can be cut to size.

REGM41

- Available in two sizes:
- REGM40 Pack of 10 mini strips
- REGM41 5 metre roll

Abrasive Strip

Abrasive Mini Scourer Pads



Pack of 5 abrasive mini pads.

- Ideal for cleaning, polishing, rust removal, scrubbing and blending.
- Tough, waterproof and long-lasting.
- General purpose grade.
- Can be used on both sides.
- A high performing alternative to steel wool, emery and sandpaper.
- Washable.
- Doesn't rust

REGT71

3 Piece Miniature **Brush Set**



- Steel, nylon and brass brushes.
- Complete with hanging
- Suitable for most cleaning requirements.
- Length: Approx. 180mm.

3 Piece Flux Brush Set



Set of 3 brushes

Length of each brush: approx. 150mm.











Tools

Brass Plated Steel Wire Brush

REGT80

270mm long

- Multi purpose brass plated steel wire brush.
- Positive grip handle.



Soft Bristle Brush

REGT85

270mm long

- Multi purpose soft bristle brush.
- · Positive grip handle.



Long Cleaning Blade

REGT75





- For cleaning heat exchangers.
- Designed not to damage the heat exchanger.



200mm long

- For cleaning heat exchangers.
- Designed not to damage the heat exchanger.

REGT78

Filament Hex Brush



100mm. 6mm spindle.

- 100mm filament strip brush, impregnated with abrasive grit.
- Ideal for deburring, surface treatment of metal and wood, and other general cleaning applications.
- Max RPM: 4500.

REGT58

20 Piece Engineers Cleaning Set



Various sized brushes and probes suitable for many cleaning applications.


- Contents:
 - 115mm, 135mm (Small), 200mm (Medium), 200mm (Large) Bristle Brush. 2 x 150mm, 210mm Soft Brush,
 - 180mm Brush with 45mm Soft-fill, Wire Probe, 10 x Wooden Probe,
 - & Needle Lubricant.

Long Radiator Brush



- A long round nylon brush ideal for cleaning behind radiators or in any inaccessible areas.
- Approx. length: 650mm.
- Diameter of brush: Approx. 40mm.

Tools



REGT55

Set of 3 brushes

 Set comprises: 16mm (5/8") round x 500mm, 50mm (2") flat x 500mm & 50mm (2") round x 500mm brushes.



Oil Boiler Flue Brush Set

REGT56

Set of 3 brushes

 Set comprises: 25mm (1") round x 500mm, 50mm (2") round x 500mm & 75mm (3") round x 900mm brushes.



7 Piece Flue Brush Set

REGT51

Set comprises:

- 12" handle.
- 5" handle.
- 12" extension rod.
- 12" thin flexible extension rod.
- 50mm round long brush head.
- 50mm round short brush head.
- 50mm flat brush head.



REGT81

9mm Nylon Tube Brush

9mm diameter

 For cleaning the Venturi on wall hung boilers.



REGT82

Ventilator Triangle Cleaning Brush



· For cleaning the ventilator of wall hung boilers.



REGT83

10mm Burner Hole Cleaning Brush



10mm diameter

 For cleaning the burner holes on wall hung boilers.



REGT84

Heat Exchanger Cleaning Brush



100mm x 170mm

For cleaning the heat exchanger of wall hung boilers.













Boiler Flue Gas Path Cleaning Brush

REGT86



30mm x 420mm

 For cleaning the flue gas paths of floor standing boilers.



Large Boiler Flue Gas Path Cleaning Brush

REGT87



40mm x 500mm

 For cleaning the flue gas paths of floor standing boilers.



70mm Nylon Tube Brush

REGT88



70mm x 320mm

 Nylon tube-brush for efficiently cleaning condensing boilers.



Multi-Purpose Boiler Cleaning Brush

REGT89



60mm x 440mm

 General purpose 60mm diameter polypropylene tube-brush for internal boiler cleaning.



See Below

Electrical Connector with Strain Relief



Durable, high quality and long-lasting 3,5 & 6 way electrical connectors used to make the wiring in boilers far more efficient for servicing and maintenance work.

Complete with Strain relief for added safety.

- For flexible, stranded and solid wires.
- Strain relief.
- Rated voltage: 250V 400V
- Rated current: 20A
- Max. operating temperature: 70°C.
- Min. operating temperature: -30°C
- Complete with locking latch for added security.

Supplied with
1 x male connector,
1 x female connector,
screws & fitting instructions.

Versions available:

- REGE105 5 Way Connector
- REGE103 3 Way Connector
- REGE106 6 Way Connector

Tools



- High quality special alloy chrome vanadium blade for longer life.
- Ultra comfort swivel top gives speed and control.
- Thin sleeve protected blade still gives excellent access.
 - Available in two types:
 - REGE251 Slotted Screwdriver. 3.5mm x 100mm.
 - REGE252 Pozi Screwdriver. PZ0 x 100mm.

Insulation Stripper Pliers

REGB70



4 Piece 1000V VDE Screwdriver Set

REGE275



- 4 Piece Technician's Screwdriver Set VDE Approved
- Chrome Vanadium shafts with magnetic and corrosion resistant precision tips.
- Insulated and VDE approved for use up to 1kV AC and 1.5kV DC.
- Contoured handles with soft rubber grip for comfort and control.

Contents:

Slotted: 5.5 x 125mm

Phillips: #1 x 80mm & #2 x 100mm

Mains Tester: 3 x 140mm



www.regin.co.uk

@RESINPRODUCTS

WWW.Regin.Q.UK

See Below 1000V Pliers



- 1,000V AC or 1,500V DC.
- Fully conforms to Euronorm standards - IEC 900, EN 60900.
- Individually tested to 10,000V.
- Power grip composite handles for ultimate power and control.
- Finger stops to prevent slipping onto live conductors.
- High quality machined pivots for easy one handed operation.
- Helps user to comply with Electricity at Work Regulations.

- Available in three types:
- REGE210 1000V **Combination Pliers.** Small - 160mm.
- REGE211 1000V **Combination Pliers.** Large - 200mm.
- REGE216 1000V **Diagonal Cutting Pliers.** Large - 200mm.

1000V Cable Shears



220mm

- Engineered to meet the requirements of the professional.
- Individually tested to 10,000V.
- Guaranteed cutting edge hardness suitable for hard and soft wire.
- Superb ergonomic handles.
- Cuts and strips.
- Not suitable for cutting steel wire armoured cables.



Interchangeable Screwdriver Set

REGE285

13 Piece VDE 1000V Interchangeable Blade Screwdriver Set

- Hardened and tempered Chrome Vanadium steel shafts.
- Magnetized tips with a phosphate finish for resistance to corrosion.
- Insulated and VDE/TUV/GS approved for use up to 1000V AC and 1500V DC.
- Impact resistant handle with a contoured, comfortable grip and switch release mechanism.
- Interchangeable blades lock securely within the handle.
- Includes mains tester.
- Supplied in carry case.





AC 1000V IEC 60900 F-5013024

Contents:

Slotted: 3 x 100mm, 4 x 100mm,

5.5 x 100mm, 6.5 x 100mm,

Phillips: #1 x 80mm, #2 x 100mm, Pozi; #1 x 80mm, #2 x 100mm, TRX-Star:

T10 x 100mm.

T15 x 100mm,

T20 x 100mm.

Mains Tester & Driver Handle

REGT16

Volt Stick



 See p7 for details.

REGT17

Multi-Test Electrical Screwdriver



See p6 for details.

REGT18

Duo Voltage Sensor



 See p7 for details.

REGXE09

AC Voltage Detector with Torch



 See p6 for details.

@Reginproducts

WWW.Regin.Q.UK

REGEII 27 LED Home Work Light



- 27 LED bulbs.
- Powered by 3 x AAA batteries (not included).
- Inbuilt magnet on reverse.
- Inbuilt hanger.
- Non-slip surface.
- Product size: 9.7 x 6.3 x 3.5cm.

REGE12

24 LED Engineers



- 24 LED bulbs.
- Powered by 3 x AAA batteries (not included).
- Inbuilt magnet on reverse.
- Inbuilt hanger.
- Non-slip surface.
- Product size: 21 x 6 x 3cm.

REGEI3

LED Pen Light



- Magnetic attachment on swivel clip.
- 7 long life LED's.
- Powered by 3 x AAA batteries.
- Swivel pocket clip.
- 250 Lux Light intensity.
- 50 lm Light output.
- IPX3 Splash resistant.
- >11h Battery runtime.
- 1m Drop test.

Premier LED Headlight



- Powered by 19 super-bright LED lights.
- · 4 functions: 1 LED, 7 LED's, 19 LED's & 19 LED's flashing.
- Hands-free convenience.
- Lamp tilts through 90 degrees.
- Long LED bulb life.
- Solid state circuitry for longer battery
- Uses 3 x AAA batteries (not included).

REGE360

Regin Cordless 360° Lithium-ion Inspection Lamp

- Incorporates a patented ball joint design which allows the Lamp to rotate through a full 360 degrees.
- Powerful 10 SMD LED main light floods your work area with light.
- Includes a 3 watt high power LED in the end allowing use as a torch.
- Magnets in the rear and in the base enable the light to be attached in a variety of positions.
- High power, low power & torch modes.
- · Rechargeable Lithium-ion battery.
- Tough rubberised anti-slip casing.
- Supplied with mains charger and 12V charger.
- Patent pending.





Magfoot Rechargeable Site Light

REGE60

Highly versitile magnetic Site Light

- Tough die-cast aluminium housing with tubular steel frame.
- Four strong foam covered magnets on base enabling the llight to be mounted in a variety of positions.
- Super bright 10W COB LED.
- Produces 600 lumens output.
- Built-in high quality Lithium-ion 7.4V 2.2Ah battery.
- Operating time: approx. 2.5hr.
- Supplied with mains adaptor & in-car charger.







REGM60

Mag Dish



- · Magnetic parts dish.
- Powerful base magnet will adhere to boiler casings in vertical or horizontal positions.
- Keeps metallic Bits 'n' Bolts etc in one place whilst working on an appliance.
- Approx. diameter: 150mm.

REGM59

Magnetic Wristband



For nuts, bolts etc.

- Use to hold nails, screws, nuts, bolts etc close at hand while working.
- · Easy hook and loop closure.

REGM62

Mag Tip Magnetic Screw Holder



- Ideal for boiler hanging.
- Creates a strong, firm connection between screwdriver and screw.
- Can be fitted to most screwdrivers (with a shank diameter between 4.0 and 6.0mm or Phillips & Pozi sizes 1 & 2).
- Screw fastening becomes highly efficient, as the screw is firmly held, saving time and money.

Tools

Tap Turner (Pair)

REGH02



- Strong moulded turners designed specifically for X-shaped taps. Simply hook over the top of the tap and make it easier to turn the taps on and off.
- Suitable for both wash basin and bath taps.
- As they're colour-coded for hot and cold water, they're ideal for people who are partially sighted, reducing the risk of accidental scalding.
- Designed to reduce the strain on the hands and wrists, these tap turners can make an everyday task a little easier for the elderly and disabled.

Bungee Strap

REGM76



600mm Bungee Strap (x2)

- A pair of high quality Luggage Straps.
- Ideal for securing luggage and goods
- High tensile, vinyl coated steel hooks.
- TUV GS approved.

Contour

REGH05



- Used to give leverage for turning small difficult items eq. gas or radiator taps.
- Stainless steel rods, when pressed around an object, retract, conform around its shape and provide a purchase around it when the handle is turned.
- An excellent everyday household aid, especially useful for the elderly or infirm.

Pocket Rocket

REGS40

- Produces a powerful blue flame.
- Ideal for igniting smoke pellets.
- Refillable (with Butane lighter gas).



Regin Keyring

KEGK/4

 High quality keyring with metal cord.



REGK80

Stubby Ratchet Screwdriver Set



A high quality 'stubby' ratcheted driver with all the commonly used 'bits': an invaluable tool for modern appliances.

- Fine 36-tooth reversible stubby ratchet driver with soft comfort grip handle and integral bit storage.
- Twist reverse and ratchet lock mechanism.
 - Features popular range of 25mm bits, 4-10mm sockets and socket adaptor.
 - Contents: Reversible Ratchet Screwdriver. 25mm Bits: Slotted - 3, 4, 5, 6mm, Phillips - #0, #1, #2, #3, Pozi - #1, #2, #3,

TRX-Star - T15, T20, T25, T30, 75mm 1/4" Hex Bit Holder, 1/4"Sq Drive Adaptor, 1/4"Sq Drive Sockets; 4, 5, 6, 7, 8 & 10mm.

Supplied in storage case.

REGB77

Extra Long Reach Screwdriver Set

450mm long

- Set of two extra long reach screwdrivers: Pz2 x 450mm & 8mm (slotted) x 450mm.
- Contoured handles with soft grips for comfort and control.
- Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish.
- Magnetized tips.









Micro Socket & Bit Set

REGK90



Kit contains:



Phillips: #1, #2, #3. Pozi: #1, #2, #3.

Slotted: 4, 5, 6. Hex: 4, 5, 6.

Hex: 4, 5, 6. TRX-Star: T10, T15, T20, T25,

T27, T30.



- 1/4"Sq Drive Sockets:
 4, 5, 6, 7, 8, 9, 10, 11, 12, & 13mm.
- 50mm Extension Bar.
- 1/4"Sq Drive Ratchet Wrench.
- Bit Adaptor

Micro Ratchet Wrench

REGB27

Stainless Steel 1/4" Sq. Drive

- Manufactured from high quality stainless steel with a fully polished satin finish.
- 72-Tooth, ultra-smooth ratchet with slide reverse.
- Ideal for limited access applications.



REGB38

Multicolour Hex Key Set - Metric



Nine piece colour coded high torque hex key set

- Manufactured from toughened shock-resisting S2 Steel.
- Colour-coded anti-slip coating ensures comfort, control and fast identification.
- Long arm provides extra reach and greater torque.
- The ballpoint end aids access even in difficult areas.
- 9 piece set: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, & 10mm high torque hex keys.
- Matte finish.
- Each key is colour coded and size marked for easy identification.
- Supplied in durable case which ensures keys are securely held and easily removed.

Bonus Feature:

 Case includes magnetiser, to magnetise a key highly useful for holding fasteners when repositioning or removing them.

REGB31

2.5mm T Handle **Hex Pump Key**



2.5mm

- Ideal for gas valves etc.
- Ballpoint end aids access even in difficult areas.
- Comfortable contoured handle.
- Manufactured from high quality shock-resisting S2 Steel.

REGB32

4mm T Handle Hex Pump Key



- Ideal for pump heads etc.
- Ballpoint end aids access even in difficult areas.
- Comfortable contoured handle.
- Manufactured from high quality shock-resisting S2 Steel.

REGB36

5mm T Handle Hex Pump Key



5_{mm}

- Ideal for commercial pump heads etc.
- Ballpoint end aids access even in difficult areas.
- Comfortable handle.
- Manufactured from high quality shock-resisting S2 Steel.











REGB33



Nine piece metric hex key set

- Manufactured from toughened shock-resisting S2 Steel.
- The ballpoint end aids access even in difficult areas.
- 9 piece set: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, & 10mm high quality hex keys.
- Matte finish.
- Supplied in durable case which ensures keys are securely held & easily removed.

Multi Tool - 15 Function

REGT04



- Manufactured from high quality stainless steel.
- Fully hardened and tempered for long life
- Lightweight aluminium/composite handle construction.
- Multi-tool functions include: combination pliers, long nose pliers, wire cutter, fine edge blade, bottle opener, can opener, slotted screwdrivers, Phillips screwdriver, fish scaler, file, hook remover, ruler, wood saw and single/double file.
- Open/Closed length: 160mm/105mm.
- Ideal for camping and leisure activities.
- Supplied with belt pouch.

Grip Spin Finger Drivers

REGK44

Perfect for tight spaces, e.g. boiler cases

- 3 Coloured Drivers with knurled edges for easy grip.
- Magnetic inserts.
- Interchangeable bits included.



Cools

REGB28

Flexible Multi-Driver



- A versatile tool designed for engineers and professionals.
- Shaft is flexible but retains rigidity allowing you to access tight spaces.
- Universal square head allows engineers to use existing 1/4" sockets and bits.



REGU81

Flexible 10mm Nut Driver





with the built in

10mm Hex end.

- Shaft is flexible but retains rigidity allowing you to access tight spaces.
- Perfect companion to a Regin Premier Gauge when performing Gas Pressure tests at the meter.



 Remove test nipples effortlessly.

REGB26

Monobloc Spanner Set - 10 Pieces



10 Piece set.

- Chrome Vanadium.
- Double ended box spanners for use on nuts in awkward or restricted locations.
- Set contains: 6/7, 8/9, 10/11, 12/13, 14/15, 16/17, 18/19 and 20/22mm spanners and includes Tommy bars.
- Supplied in handy carry case.



Stubby Combination Spanner Set

REGB54



6-14mm

- Drop-forged, Chrome Vanadium steel combination spanners.
- Hardened, tempered and chrome plated for corrosion resistance.
- Stubby size for ease of access and use in appliances or confined areas.
- · WallDrive® rings.
- Contents:
 6, 7, 8, 9, 10, 11, 12, 13, 14mm



regin.co.uk



@reginproducts

WebsiteorSocials, stayup-to-date with Everything Regin'

REGRO5

Radvalve Change Kit



- Used for changing radiator valves without draining down.
- The kit comprises of 2 patented rubber bungs, jubilee clip and a radiator air bleed key.
- Supplied in strong nylon zip bag.
 - Can be used in conjunction with REGR01 Draineasy Radiator Draining Kit (see page 21).
 - For use on 15mm & 22mm pipework.

4-Way Plumbers / Utilities Key



REGR13

Regin Rad Key Ring



- Compatible with water, electric & gas service cabinets.
- All metal design.
- Durable, small and compact.
- Specially designed for bleeding trapped air from radiators.
- Fits most radiators.





Premier Stumpy Sealant Gun

REGB83

High quality reduced length sealant gun for everyday use.

- Specifically designed for REGZ31 & REGZ32 Silicate Cement (p111) (smaller for more control and access in confined spaces).
- Very strong construction (in order to deal with the high viscosity of some silicones and silicates).
- Includes tip cutter, just insert the nozzle of the cartridge and squeeze the handle.
- Tip piercer/cleaner for clearing sealant from dried nozzles.
- · Hook end suitable for attaching to user's belt.







Plumbers Swivel Back Pipe Saw

REGB90

4 position frame

- 4-Position frame design offers large capacity cutting, plus three other positions suitable for working in areas where access is tight.
- Especially suitable for works engineers and plumbers although equally at home in the general workshop or DIY environment.











Hook & Pick Set

REGK40

5 piece set

- · Chrome vanadium steel.
- Ideal for replacing 'O' rings, marking your tools, removing small fuses or stuck parts etc.
- Magnet integrated into base of handle.





WHITE TIME UK

REGB01

CuttaKeep™ Pipe Cutter Holder







The Regin CuttaKeep™ is a unique tool created to save you time and money. It will securely dock virtually any make of 15mm, 22mm and 28mm automatic pipe cutter and protect the cutter wheel from being damaged. It will also make rooting around in the bottom of your toolbox a thing of the past - your automatic pipe cutters will be at your fingertips enabling you to find the required size in an instant.

The Cuttakeep™ also has a compartment where spare cutter blades can be stored.

- Organise your 15, 22 & 28mm automatic pipe
- Quickly & easily identify the correct size.
- Fits most brands.
- Store your replacement blades.
- Protects blade on new-style plastic pipe cutters.
- Helps protect your fingers.

REGB05

Mini Tube Cutter



• For 3 - 22mm (1/8 - 7/8") tubes.

REGB10

Standard Tube



 For 3 - 30mm (1/8 - 1 1/8") tubes.

REGB15

Mini Tube Bender



 For 6, 8, & 10mm (1/4, 5/16 & 3/8") tubes.













Test Equipment
Tools
Consumables
Stove
Bits n Bolts
Liquid Fuel

your Stockist





@reginproducts

www.regin.co.uk

REGT35

Inspection Mirror - Small



- Telescopic.
- · All-angle ball joint holds mirror firmly at any angle.
- Allows inspection of hidden areas.
- Pocket clip included.
- 30mm mirror.
- Min size: 174mm.
- Max size: 500mm.

REGT40

Inspection Mirror - Large



- Telescopic.
- All-angle ball joint holds mirror firmly at any angle.
- Allows inspection of hidden areas.
- Pocket clip included.
- 50mm mirror.
- Min size: 240mm.
- Max size: 698mm.

REGK34

Schrader Valve Core Screwdriver Tool



 Specialist tool for removing the core from Schrader valves.











AAV Removal Tool | See Below

The Regin AAV Removal Tool is designed to assist in the replacement of the Caleffi Robocal 502 series Automatic Air Vents, particularly where access with a normal spanner or grips is at best very difficult due to location within the appliance.




- · For easy replacement of: Caleffi Robocal 502 Series AAVs found on many Combi Boilers & Pumps.
- Includes 7mm bolt for awkward locations.
- Available in two sizes:
- REGT30 Standard AAV **Removal Tool**
- REGT31 Extended AAV Removal Tool





Multi-Size Fan Puller

REGT25



 Suitable for most Riello and four splined pump drive fan impellors.



REGK75

Free-Air Gauge Kit



Regin Free-AirGauge Kit has been developed to assist registered installers to quickly, easily and accurately determine the free area of existing ventilation.

- The kit consists of: A 3-piece precision aluminium tool, colour coded for convenience.
 - A vernier gauge to accurately measure the ventilator(s) installed.
 - A slide calculator to determine the free area of the ventilation provided.
- It is vital that the free area of existing ventilation is accurately determined.
- The Free-AirGauge will assist the registered installer to make the right decision and improve the standards of gas safety.
- Complete kit supplied with keyring and carry case.

Continuity Bond



Length 1.2m

· For ensuring temporary continuity of earth.

Magtester Plus



Good for checking almost any electro magnetic field i.e:

- Gas valve solenoids.
- Oil pump solenoids.
- Pump Motors.
- Diverter valve motors.
- Relays: Mains or Low Voltage.
- Most if not all electric motors.
- Car starter solenoids.
- Test magnet included.







Tools

Illuminated 'Bits'n'Bolts' Retriever

REGTII

- Heavy-duty five section telescopic pick-up tool.
- Large Ø14mm magnet with 3.6kg capacity and recessed LED to illuminate target area.
- Textured, contoured handle for added comfort.
- Knurled twist on/off switch for ease of use.
- Extends to approx: 81cm (32") in length.
- Complete with pocket clip.



Thermocouple Tester

REGT20

- Used for testing the correct operation of thermocouples.
- The thermocouple to be tested is assembled into the unit and the tip heated whilst depressing the white button. If the thermocouple is functioning correctly the plunger will remain depressed for approx. 20/30 seconds, simulating the operation of a gas valve.



Thermocouple Thread Gauge Keyring

REGT19

- For determining the exact size of thermocouple threads.
- Capable of sizing six threads: M8, M9, M10, 1/8" BSP, 7/16" and 11/32".



REGT95

'Hot-Tote' Open Toolbox



Perfect quick-access storage for your soldering kit

- Perfect for storing tools relating to 'heat and soldering'.
- Fully open allowing ease of access to tools*.
- Extra secure draw to store spares and consumables.
- Manufactured from durable polypropylene.
- Dimensions: (HxWxD): 230mm x 476mm x 228mm

REGK55

Pump Carry Case / Holdall





- Designed to securely store your Regin Vessel Pump and accessories (will also fit most other brands).
- Two zip up pockets to safely store your pump adaptors, valve cores, spare parts etc.
- Made of high quality Oxford cloth with a water resistant finish.
- Strong handle and shoulder carry strap.
- Size: 66cm x 32cm x 15cm depth (approx).






Tools

Tubing / Cable Storage Bag

REGRO8

Ideal storage solution for your Drain Down Hose Kit



- Made of high quality Oxford cloth with an improved chunky zip.
- Perfect storage solution for your Drain Down Hose Kit.
- Can also be used to neatly store your EV charging cables.
- Strong handle included for easy carrying or hanging when storing.
- Easy to wipe down and clean.



Oil Burner Nozzle Case

REGO95



- Suitable for oil burner nozzles.
- Storage for up to 40 nozzles with foam padding.
- Complete with carry handle.

Regin REGT24



- Excellent organiser case for the busy tradesman.
- 25 removeable inserts.
- Measures approx. 335 x 240mm.

Analyser Case - Small

REGXA7



 Protective case for Regin Analyser or other test equipment.

Please note: Analyser Probe will not fit inside this case.













Consumables



Consumables

Aerosols & Paint Air Duster, Leak Spray, Coal Paint, Glass Cleaner etc.	76
• Batterles	78
Cleaning Wipes, Absorption & Drainage Paper Towel, Hand Wipes, Drainage Kits, Drain Down Hos	80
• Dust Sheets & Work Mats	84
• First Aid & Fire First Aid kits, Fire Extinguishers etc.	86
• Class Yarn & Fixative	83
• Gloves & Workwear	89
• Inspection Hatches	98
Leak Detection Leak Detection Sprays and Fluids etc.	94
• Location Plates	95
Miscellaneous Spares Manometer Spares, Pilot Tubes, Vessel Jet Spares etc.	96
Omestic, Commercial and Liquid Fuel Report pads	99
Sealants, Pastes & Lubricants Jointing Compound, Silicone Grease, Sealants etc	103
Smoke Smoke Pellets, Smoke Matches etc.	112
• Solder Mats	115
Specialist Part Kits Boiler Spares, Fuse Kits, Washer Kits, O-Ring Kits etc.	118
Stickers & Tags	122
D. Tapes, Aluminium Foil, Boiler Case Seal, PTFE Tapes e	130
Water Treatment Central Heating Cleaner & Inhibitor etc.	139

REGZ06

Premier Air Duster



120ml

- Regin Premier
 Air Spray is a
 liquified, nonflammable* gas
 and provides a
 dry, powerful
 blast for easy
 removal of dust
 and other loose
 contamination.
- This aerosol has been fitted with a 360° valve to enable use at all angles.
- This product has been formulated without the use of any CFCs or HCFCs.

* According to Directive 2008/47/EC

REGZ09

Premier Giant Silicone Spray



500ml. WRAS Approved

Regin Premier
Silicone Spray is a
general purpose,
medium duty silicone
lubricant, which
exhibits excellent
anti-stick and slip
properties. Perfect for
use anywhere that
sticking or fusing
causes problems. It is
particularly useful for
lubricating plastic
piping.

- General purpose silicone lubricant.
- Exhibits excellent anti-stick and slip properties.
- Ideal for use where a clean, colourless lubricant is required.
- Safe to use on wood, glass, fabrics, metals, most plastics, rubbers and hard surfaces.


REGLO1

Premier Gas Leak Spray



300ml

- Meets the requirements of EN14291:2004.
- Safe detection of positive leaks.
- · Suitable for use with most gases.
- · Compatible with most metals and plastics.
- Specially equipped with a 360° valve to enable use at all angles.
- Fast and easy application.



Back to Black Coal Paint

See Below

*200ml aerosol



Revolutionary product - The original black pigment, as used by much of the fireplace industry.

- Quick, safe and easy to use.
- OEM pigment for use in gas fires up to 1100°C.
- Typically restores up to four complete fires*.
- Available in two varieties:
- REGZ65 200ml aerosol can
- REGZ66 30ml brush-on bottle

Stove Paint - Black

See Below





Regin Premier Stove Range Stove Paint is a very high temperature corrosion resistant non-clogging paint for use on wood or multi-fuel stoves, grates, flues, etc.

- Matt finish.
- Heat resistant to 650°C.
 - Available in two sizes:
 - REGST10 250ml can
 - REGST15 450ml can

Stove Glass Cleaner

REGST20

320ml

Regin Premier Stove Range Glass Cleaner clings to surfaces to remove creosote and tar deposits.

- For use on wood, coal or oil burning equipment, glass firescreens etc.
- Use regularly to avoid stubborn accumulations of tar/creosote deposits on glass doors.
- Can be used on glass oven doors as a de-greaser.



See Below Panasonic Pro Power Batteries

- The PRO POWER battery offers premium energy for your personal appliances.
- · Developed to provide reliable and dependable power, any place and any time.
- The PRO POWER battery is ideal for high and medium drain appliances.

REGEAAA4

(LR03), 1.5v



(LR6), 1.5v

REGENVI

(PP3, 6LR61)







REGEC2

(LR14), 1.5v



REGED2

(LR20), 1.5v



REGECR123A

CR123 Lithium, 3v



- Delivers a voltage of 3V.
- High capacity of 1400 mAh.
- Highly suitable for devices which require high currents.











Duracell Plus Batteries

See Below

- · Duracell, the UK's #1 Battery Brand.
- Low temperature performance and high quality mean these batteries will power devices for longer without producing heat.
- They are guaranteed to last longer in devices and have a longer storage life than original Duracell batteries.

REGEDLAAA4

AAA (LR03), 1.5v

REGEDLAA4

AA (LR6), 1.5v

REGEDLNVI

9V (PP3, 6LR61)







REGEDIC2

C (LR14), 1.5v



REGEDLD2

D (LR20), 1.5v



Energizer Ultimate Lithium



- One of the world's longest lasting AA batteries.
- Pack of 4 x AA batteries.
- Powers your most critical devices.



REGW80 Blue Paper Towel Roll



- Approx. 100 sheets per roll.
- 3 ply.
- · Highly absorbent.
- Heavy Duty.
- Each sheet measures approx. 25cm x 37cm.

Heavy Duty Hand Wipes



70 Textured wipes

- Highly absorbent dual sided antibacterial textured wipes.
- Helps remove paint, grease, oil, sealants, putty, filler and adhesives.
- Each sheet measures approx. 20cm x 26cm.

REGW55 Hand Sanitising Gel



100ml

- Kills / inhibits viruses and bacteria.
- Formulated with 80% alcohol.
- Moisturising.











Radvalve Change Kit REGRO5

- · Used for changing radiator valves without draining down.
- The kit comprises of 2 patented rubber bungs, jubilee clip and a radiator air bleed key.
- Supplied in strong nylon zip bag.
- · Can be used in conjunction with REGR01 Draineasy Radiator Draining Kit or REGR10 Radtrap Drainage Pad (below).
- For use on 15mm & 22mm pipework.



Draineasy Radiator Draining Kit | REGROT

- Drain Radiators Fast!
- Avoid unnecessary mess.
- For professional or DIY use.
- Universal application for 8mm, 10mm, 15mm & 22mm pipework.
- Can be used in conjunction with REGR05 Radvalve Change Kit (see above).
- Kit comprises: 4 x Water Diverting Collars for 8mm, 10mm, 15mm and 22mm pipework, Reusable Sealing Strips, Draining Tray and Water Resistant Barrier Gel.



Radtrap Drainage Pad

- Quick easy method of channelling radiator contents into a suitable container, minimising spillage.
- Withstands hot water and chemical additives.
- Supplied with fixing clip.
- Can be used in conjunction with REGR05 & REGR01 (see above).



REGRO9 Drain Down Hose Kit



Please note: Rubber Hose is for draining down only -Do Not Pressurize.

10m length of rubber hose

- Internal diameter: 1/2", outer diameter: 3/4".
- Made from actual formed rubber, NOT the imitation plastic rubber used in cheaper drain down hoses.
- Complete with jubilee hose clip.
- Supplied with velcro 2 x 'tidy-straps' for neat coiling.
- Storage bag available (see opposite).

Brass Straight Hose Joiner



A brass union for connecting two Drain-Down hoses (REGR09 - above) together.

 Quickly and easily join two lengths of 1/2" rubber hose together.

REGR60

Multi Drain Down Hose 1/2" / 6mm



A 300mm length of 1/2" hose, 2m length of 6mm rubber hose and a brass connecting piece. Complete with jubilee hose clip.

- Fits most boiler's drain connection.
- Fits most boiler's bleeding points.
- Fits Analyser probes for test points and pressure readings.
- Compact, durable, and lightweight.



Extra Long 15m Drain Down Hose Kit

Extra-Long 15m length of rubber hose

- As per our original Drain Down Hose (REGR09, opposite), but now in a handy 15 metre length.
- Made from actual formed rubber, NOT the imitation plastic rubber used in cheaper drain down hoses.
- This 15 Metre hose fits perfectly in the REGR08 Regin Tubing/Cable Storage Bag (Supplied* - see below), which will keep it tidy and drip free in your work van after use.
- Printed with the 'REGIN' logo across the length of the hose to indicate a genuine Regin product.
- 15M Length.
- I.D 1/2", O.D 3/4".
- Complete with two velcro 'tidy straps', jubilee clip and storage bag*.



Please note: Rubber Hose is for draining down only -Do Not Pressurize.

Tubing / Cable Storage Bag

REGRO8

Ideal storage solution for your Drain Down Hose Kit

Size: 40cm diameter x 8cm depth (approx).

- Made of high quality Oxford cloth with an improved chunky zip.
- Perfect storage solution for your Drain Down Hose Kit.
- Can also be used to neatly store your EV charging cables.
- Strong handle included for easy carrying or hanging when storing.
- Easy to wipe down and clean.



WWW.Regin.Q.UK

REGM35 4' x 4' Calico Cotton Dust Sheet



4' x 4' (122cm x 122cm)

- Professional quality.
- 100% Natural Cotton.
- Fine weave.
- Protects furniture & floors.
- Reusable.
- Machine washable.



REGM36 12' x 9' Calico Cotton Dust Sheet



12' x 9' (366cm x 274cm)

- Professional quality.
- 100% Natural Cotton.
- Fine weave.
- Protects furniture & floors.
- Reusable.
- Machine washable.



REGM38 Engineers Service Mat



100cm x 73cm

- Helps protect hearths and work surfaces when removing appliances.
- Resists temperatures up to 100°C.
- Velcro pads to avoid slipping.
- Water resistant.

* All measurements are approximate.

Consumables

6' x 3' Laminated Dust Sheet

REGM29

6' x 3' (183cm x 91cm)

- Professional quality.
- Cotton with Polythene Laminate.
- Double protection.
- Helps prevent paints & liquids passing through.
- · Water resistant.
- Reusable.





12' x 9' Laminated Dust Sheet

REGM39

12' x 9' (366cm x 274cm)

- Double protection.
- Cotton with Polythene Laminate.
- Helps prevent paints & liquids passing through.
- Strong hard wearing cotton resists wear.
- Water resistant.
- Reusable.





Engineers Kneeling Mat

REGW31


450 x 215 x 28mm

- Quality 28mm EVA kneeling mat ideal for the busy engineer.
- Suitable for use on hard floors.
- Lightweight.



See Below

Plumbers Work Mat



- The Regin Plumbers Work Mat is a durable waterproof absorbent everyday work mat giving professional consideration to customers' floors and surfaces safeguarding against possible insurance claims.
- Featuring pipe slots on all four sides, complete with velcro anchor straps.
- Double eyelets for hanging and securing.
- Dirt resistant waterproof backing.
- Water absorbent lining.



- Available in two sizes:
- REGM25 Standard. 1550 x 680mm.
- REGM26 Large. 2400 x 1200mm.







First Aid Kit REGM46



HSE 1-5 person

- · Complies to current Health & Safety Executive Standards.
- Ideal for vans and cars.
- Supplied in durable zip up case.
- Measures approx. 22.5cm (w) x 16.5cm (d) x 4.8cm (h).

Large First Aid Kit



HSE 1-10 person

- · Complies to current Health & Safety Executive Standards.
- Supplied in convenient carry case.
- Measures approx. 25cm (w) x 19cm (d) x 8.8cm (h).

REGM45

Fire Extinguisher Powder 600g



600g

- Non-toxic dry powder.
- 5 year guarantee.
- Mounting bracket included.

REGM44

Fire Extinguisher Powder 1kg with Gauge



- 1kg.
- ABC Powder.
- Integral gauge.
- Non-toxic dry powder. 5 year guarantee.
- Mounting bracket included.

REGM48

Fire Blanket



- Conforms to BS EN1869
- Easy to use.
- Blanket size: 110cm x 110cm.

See Below Braided Glass Yarn



REGY16







REGY2



REGY23

5m pack

- Maximum working temperature of 550°C.
- Asbestos free.
- Braided construction.
- Suitable for ovens, boilers etc.
 - Available in three sizes:
 - REGY16 6mm diameter
 - **REGY21 10mm diameter**
 - REGY23 12mm diameter

See Below

Glass Yarn Fixative

- Heat resistant to 850°C.
- For adhering glass yarn to metal and glass.
- Available in two sizes:
- REGY25 30ml Bottle Complete with brush on applicator.
- REGY30 120ml Bottle Complete with nozzle applicator.

REGY25



REGY30







Also available:



Range of Stove products, see pages 140-147











Coolskin Heat Resistant Gloves

REGST65



A pair of heavyweight, ambidextrous knitted gauntlets made from high quality 7 gauge high tenacity, aramid fibre.

- Specialist heat resistant gauntlets
- Heat protection up to 350°C.
- Incorporates a heavy knitted cotton lining.
- Extended cuff for additional protection to the wrist.
- Outstanding cut level 5 protection.
- Outer shell 100% KEVLAR®, Inner 100% cotton.
- Strong and lightweight.

Regin Beanie Hat

REGWO1



- 100% genuine Softex® Material, meaning super soft, super warm and comfortable to wear in the coldest of conditions.
- Knitted double thickness.
- One size fits all.

ID Card Holder

REGM66



- ID card holder complete with lanyard.
- Quick release swivel clip for convenience.
- Safety release clip to prevent injury from snagging.

@REGINPRODUCTS

WWW.Regin.Q.UK

REGW40

Work Gloves - 'Puggy' Type





- A lightweight seamless polyester liner with a tough polyurethane coating on the palm.
- Excellent dexterity and grip with improved mechanical protection.
- · Light weight and breathable.
- High dexterity and ideal for precision handling.

REGW41

Work Gloves - Textured Latex Grip





- A tough general purpose glove suitable for an extensive variety of applications.
- A premium black crinkle latex coating for excellent grip and durability.
- Lightweight, soft and extremely comfortable.
- Superior grip.

REGW42

Work Gloves - Nitrile Coating





- A lightweight and seamless polyester liner with a tough nitrile coating for excellent dexterity and abrasion resistance.
- Nitrile palm coating gives excellent grip and provides great resistance to oils, fats and grease.
- Light weight.
- Oil repellent.



Work Gloves - PU Coating

REGW43





- Light weight polyester seamless liner.
- Tough durable polyurethane coating.
- Excellent dexterity and grip combined.
- Light weight.
- High dexterity and ideal for precision handling.

Work Gloves - PU Fingerless







- · Light weight polyester seamless liner.
- · Tough durable polyurethane coating.
- Thumb and first two fingertips exposed for extra dexterity.
- Light weight.
- High dexterity and ideal for precision handling.

Work Gloves TDM Cut Level B

REGW45





- Machine knitted from a special high performance fibre offering cut level 3 (TDM Cut B) protection.
- Features an extremely light polyurethane coating.
- Sanitized* function for increased freshness, hygiene and odour repellence.
 Cut resistant.
- Sanitized
- Breathable.
- Superior Grip.

Work Gloves TDM Cut Level C







- Specialised blend of advanced yarns giving cut level 5 (TDM Cut C) protection.
- Flexible polyurethane coating provides superb dexterity and grip.
- Sanitized* function for increased freshness, hygiene and odour repellence.
- Cut resistant.
- Sanitized
- · Breathable.
- · Superior Grip.



REGC30

Ignition Lead Multi-Kit



1500mm lead & accessories

- Cut to required length.
- Supplied with 2.8mm push fit spade connectors.
- · High quality component.
- Suitable for both Natural Gas and LPG.

See Below

Ignition Lead



- High quality part fitted with 2.8mm push fit spade connectors at each end.
- Available in a range of sizes.
- Suitable for both Natural Gas and LPG.
- Sizes available:
- REGC19 370mm long.
- REGC20 450mm long.
- REGC21 530mm long.
- REGC22 750mm long.
- REGC24 950mm long.
- REGC25 1000mm long.

Red Ignition Lead Connector



- 10 per pack
- For wires 0.5 1.5mm. High quality, pre-insulated terminals.



www.regin.co.uk



Inspection Hatches | See Below



Regin's range of hinged plastic inspection hatches provide a simple, low cost, high quality solution for access to building services in walls and ceilings.

The plastic access panels are produced from refined high impact plastic, injection moulded into a slim profile frame, with smooth rounded corners. This provides a lightweight solution, enabling easy and installation into all types of wall or ceiling construction.

- Provides the perfect solution for access to services.
- Produced from UV stable ABS, the white finish will not discolour. Surface will accommodate a paint or wallpaper finish if required.
 - Sizes available*:
 - REGH150 100mm x 150mm
 - REGH150L 150mm x 150mm
 - REGH200 200mm x 200mm
 - REGH230 150mm x 230mm
 - REGH300 300mm x 300mm
 - REGH350 350mm x 350mm
 - REGH450 450mm x 450mm

* Sizes indicate the size of the hole required.

Fire Rated Inspection Hatch

REGH300FK

- Regin 1-hour fire rated access panel is tested to B.S.476: Part 22:1987. It provides access into all types of wall and ceiling construction voids.
- The powder coated steel panels have a slim. profile, producing a lightweight, robust panel where access to building services is required.
- Featuring a flush metal door and held closed with lock
- 300mm x 300mm size.



REGL01

Premier Gas Leak Spray



300ml

- Safe detection of positive leaks.
- Suitable for use with most gases.
- Compatible with most metals and plastics.
- Specially equipped with a 360° valve to enable use at all angles.
- Fast and easy application.
- Meets the requirements of EN14291:2004.

REGLO5 Leak Detection Fluid



120ml

- Safe detection.
- Complete with brush for application.
- Suitable for use with most gases.
- Compatible with most metals and plastics.
- Eco friendly.
- EN14291:2004.

Leak Detection Atomiser



250ml

- Safe detection.
- Pump action atomiser.
- Suitable for use with most gases.
- Compatible with most metals and plastics.
- Eco friendly.
- EN14291:2004.

REGL15 Leak Shot



Leak in a perfect 100ml size.

- Safe detection.
- Pump action atomiser.
- Refillable.
- Conveniently sized 100ml aluminium bottle.
- Suitable for use with most gases.
- Compatible with most metals and plastics.
- Eco friendly.
- EN14291:2004.



REGP96

Emergency Control Valve Plate



8 per pack

- Approx. 98mm x 66mm with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- · Cable ties supplied.

REGP97

Gas Isolation Valve Plate



8 per pack

- Approx. 98mm x 66mm with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP95

Do Not Operate Plate



8 per pack

- Approx. 80mm x 150mm with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- · Cable ties supplied.

REGP98

Emergency Control Valve Location Plate



8 per pack

- Approx. 98mm x 66mm with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP99

Meter Housing Key I.D. Plate



8 per pack

- Approx. 98mm x 66mm with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP33

Chimney / Hearth Notice Plates



10 per pack

- 145mm x 90mm plastic with pre-drilled holes.
- To comply with the requirements of Building Regulations.
- Complete with marker pen.

REGU36

Premier Gauge Stopper

- Replacement top stopper for REGU33, REGU35 or REGU40.
- Keeps the fluid from evaporating or being spilled when not in use.

See Below

Premier Gauge



- REGU29 Bag for REGU33 **Premier 30**
- REGU41 Bag for REGU35 Premier 45 also
 - Bag for REGU40 Premier 60

See Below

Premier Gauge Screw & 'O' Ring



- REGU28 Screw & O Ring for REGU33 Premier 30
- REGU38 Screw & O Ring for REGU35 Premier 45
- REGU42 Screw & O Ring for REGU40 Premier 60

REGU37

Premier Gauge Blue Stopper



- Replacement blue stopper for the range of Regin Premier Gauges.
- Fits all 3 Premier Gauges: (REGU33, REGU35 & REGU40).

See Below

Premier Gauge Grey Stopper



- REGU27 Grev Stopper for REGU33 Premier 30
- REGU34 Grey Stopper for REGU35 Premier 45
- REGU44 Grey Stopper for REGU40 Premier 60

REGR30

Universal Meter Adaptor Plate



Universal Fitting

- Unique patented design.
- Fits all gas meter brackets.
- Firmly secures the meter to the bracket.











REGC64

4mm Pilot Tube Assembly Kit



Aluminium Tube Kit 4mm O.D.

- M10 Brass fitting with snap off olive (sheer off union).
- M10 Brass nut long.
- Aluminium olive.
- · M10 Brass nut short.
- M8 Brass nut.
- · Brass olive.
- · Brass olive typhoon.
- 1000 Aluminium tube BS1471 (4mm od).

REGC66

6mm Pilot Tube Assembly Kit



Aluminium Tube Kit 6mm O.D.

- 2 x M11 Brass fittings with snap off olives (sheer off union).
- · 2 x 6mm Brass olive nut.
- R1/4" to 6mm brass body.
- · 6mm Brass olive.
- 1220 Aluminium tube BS1471 (6mm od).

REGK33

Schrader Valve Cores



- 10 cores per pack.
- Genuine Schrader™ product.
- Nickel-plated brass.
- Teflon seal.
- Standard flow.

REGRII

'Tamper Proof' Radvalve Tops



Domestic

- Fast, easy to fit and Tamper-Proof.
- No experience or special tools are required to install.
- Fits valves up to 15mm.
- Not suitable for TRVs.

REGR12

'Tamper Proof' Radvalve Tops



Commercial

- Fast, easy to fit and Tamper-Proof.
- No experience or special tools are required to install.
- Fits valves 1/2" to 1".
- Not suitable for TRVs.

REGR18

Radiator Bleeder Set



1/2" Radiator air vent & blanking plug set

- Vent can be opened using radiator bleed key (supplied) or a screwdriver.
- Can be rotated to change direction that air/water discharges.

REGK12

Vessel Jet Replacement Battery



 Replacement / Spare battery for the Regin Vessel Jet 2 (see p10-11).

REGK13

Vessel Jet Mains Charger



 Replacement mains charger for the Regin Vessel Jet 2 (see p10-11).

REGK14

Vessel Jet Replacement Hose



 Replacement hose for the Vessel Jet 2 (see p10-11).

REGK32

Vessel Jet Vehicle Adaptor



 An adaptor lead which enables the Vessel Jet 2 (see p10-11) to be run from a vehicle 12V power supply.

REGC40

Cooker **Stability** Chain & Hook



- Complete with chain, hook & screws.
- Approx. 400mm long.
- Comes with fittings and bracket.

REGK31

Hand Pump Replacement Adaptor



 Replacement lever adaptor for the REGK30 Pressure Vessel Hand Pump (see p14).

REGXA5

Analyser Replacement



- 1 per pack
- Replacement filter for Regin Analyser (see p28).

REGXA56

Thermal Printer Roll



5 per pack

 For use with REGXA55 Analyser Infra-Red printer (see p29).







Landlord / Home Owner Gas Safety Record Pad

REGP45

25 reports in triplicate

- Record safety checks carried out during a Landlord/Home Owner gas safety inspection.
- Also allows for recording of additional information and observations.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.



REGP47

Caravan / Boat Gas Inspection Record Pad



25 reports in triplicate

- Adhesive backed top copy.
- Specifically designed for gas safety checks on leisure accommodation vehicles (LAV) such as caravans and boats, which are rented out to the public.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.

REGP50

Gas Safety Inspection Pad



50 reports in duplicate

- Record findings when carrying out general gas safety checks on a number of appliances.
- Complete with writing quard.
- Each report features it's own unique Report Reference number.

REGP46 Gas Safety Record Pad



25 reports in triplicate

- Record details of gas work undertaken.
- Can be used as: Gas Safety Inspection Pad (REGP50).
- Complete with writing guard.
- Each report features it's own unique Report Reference number.

REGP57

Commercial Catering Appliance Gas Safety Inspection Report Pad



25 2-part reports in duplicate

- Specifically designed for safety checks and works carried out in a commercial catering establishment.
- Accurately document details about both the catering environment and the appliances themselves.
- Complete with writing guard and unique Report Reference numbers.

REGP61

Legionnaire Risk Assessment Report Pad



25 reports in triplicate

- Specifically designed for Legionnaire Risk Assessment on domestic property hot and cold water systems.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.

Warning Notice -Danger Do Not Use Report Pad

REGP55

30 reports in triplicate

- Record Immediately Dangerous (ID), At Risk (AR) and Not To Current Standards (NCS) situations.
- Record your finding to ensure all parties are aware that an installation/appliance is not safe.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.



REGP56

Mobile Catering Trailer / Vehicle Safety Record Pad



25 reports in triplicate

- Record important gas safety checks carried out on mobile catering trailer/vehicles.
- Include details of the appliances, any safety checks carried out and the trailer/vehicle itself.
- Complete with writing guard and unique Report Reference numbers.

REGP58

Unvented Hot Water Storage Vessel Commissioning Pad



25 reports in triplicate

- For use in installing, inspecting or commissioning domestic unvented hot water storage vessels.
- Complete with writing quard.
- Each report features it's own unique Report Reference number.

@REGINPRODUCTS

WWW.Regin.Q.UK

REGP65

Maintenance / Service Check List Pad



50 reports in duplicate

- For use when carrying out service or general maintenance work.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.

REGP62

Gas Testing and Purging Report - Domestic



25 reports in triplicate

- Allows concise recording of each tightness test and details of purging that may be required.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.

REGP59

Decommissioned Appliance Report Pad



25 reports in triplicate

- Comprehensive pad specifically designed for decommissioning an appliance.
- Each report features it's own unique Report Reference number.

REGP63

Condensing Boiler Installation Assessment Form



50 reports in duplicate

- Record, where applicable, that it would be reasonable to install a non-condensing boiler.
- · Complete with writing guard.

REGP64

Central Heating Inspection / Commissioning Report



50 reports in duplicate

- Report tests and checks while commissioning a central heating boiler. Also ideal for surveying an existing central heating system.
- Each report features it's own unique reference number.

REGP66

Flue / Fireplace Commissioning Certificates



20 reports in duplicate

- To enable gas operatives to meet the requirements of Approved Document 'J' of the Building Regulations.
- Each report features it's own unique reference number.

REGP70

Dry Pipe Pressure Test Certificates



50 reports in duplicate

 For use with REGK10 Dry Pipe Pressure Test Kit.

REGP71

Chimney / Flue Notice Pack



- · Kit comprises:
 - 1 x REGP66 Flue/Fireplace Commissioning Certificates 20 x REGP33 Chimney/Hearth Notice Plates
 - 1 x permanent marker 1 x 3m roll double sided
 - foam tape

REGP80

Analyser Readings Record Pad



50 copies in duplicate

- Top copy is self adhesive.
- Also acts as an Annual Service Reminder.



REGPCI

Commercial Servicing / Commissioning Report



50 reports in duplicate

- Record essential checks and tests carried out while commissioning/servicing commercial appliances.
- · Complete with writing guard.
- Each report features it's own unique Report Reference number.

REGPC2

Commercial Gas Testing and Purging Record Pad



50 reports in duplicate

- Accurately record details of strength testing, tightness testing and purging procedures.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.

REGPC3

Commercial Gas Installation - Safety Report



50 reports in duplicate

- Record details of a commercial gas safety inspection.
- Complete with writing guard.
- Each report features it's own unique Report Reference number.



Non-Domestic Liquid Fuel Fired Single Combustion Appliance Service & Inspection Record Pad

REGPO21

25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 2 2018 when servicing or commissioning non-domestic oil and liquid fuel fired appliances with 2 stage burners.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.



Non-Domestic Liquid Fuel Storage (up to 10,000 litres) & Supply Inspection Record Pad

REGPO23

25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 2 2018 when inspecting non-domestic oil and liquid fuel storage and supply systems.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.



REGPOIL

Domestic Liquid Fuel Fired Pressure Jet Appliance Service, Commissioning & Inspection Record Pad



25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired boilers.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.

REGPO13

Domestic Liquid Fuel Storage (up to 3,500 litres) & Supply Inspection Record Pad



25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 1 2019 when inspecting domestic oil and liquid fuel storage and supply systems as part of an appliance service or commissioning visit.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.

Liquid Fuel Common Fault Pad

25 reports in triplicate

- Saves time and money when Servicing or Commissioning.
- Provides added litigation protection
- Simple and quick tick box format for Potential & Immediate Risks against common faults
- · Engineers terms and conditions pre-printed on reverse
- Compiled from over 10 years' worth of engineer's face to face feedback
- Up to date with latest versions of B5 5410 Parts 1 & 2
- Suitable for Domestic & Non-Domestic applications
- Three copy for tenanted properties (Site, Client and Engineer).
- Each report features it's own unique reference number.



Domestic Central Heating & Hot Water System Inspection / Commissioning Report Pad

REGPO10

25 reports in triplicate

- Essential document designed to demonstrate compliance when commissioning wet central heating systems.
- Use to create a physical record of service and inspection works to wet central heating systems.
- Pre-printed industry generic terms and conditions on reverse to advise, inform and protect you and your customer.
- Provides key check points to follow.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- · Each report features it's own unique reference number.



Domestic Liquid Fuel Fired Vaporising Appliance Service, Commissioning & Inspection Record Pad

REGPO12

25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired vaporising appliances.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- · Each report features it's own unique reference number.



REGM20 Gas & Water Jointing Compound



250g

- Soft setting non-petroleum based thread sealant for use with potable water and mains gas.
- WRAS Approved for use on cold potable water systems.
- Suitable for use on gas installation pipe-work as a class A, Arp and class B thread sealant as defined by BS751-2:1997.
- Non-toxic.

REGZ22

Zoom Spout® Oiler



The original Zoom Spout Oiler

- Filled with 118ml of Unocal 76 Turbine Oil a superior general purpose lubricating oil.
- Features a flexible, telescoping, non-conductive plastic spout that extends from approx. 7½" (190mm) to 13½" (340mm).
- Ideal for use on: Fans, Bushings, Electric motors (fractional to 5hp), Gear sets, Compressors, Linkages, Vacuum pumps, Bearings, Blowers and many more.

REGMO8

Heldite Universal Sealant



250ml with brush applicator

HELDITE is a high performance sealant for preventing leakage of Oils, Hydraulic Fluids, Water, Steam, Gases, Coolants and Fuels (excluding ethanol) in all branches of Automotive, Auto Mechanical, Electrical and General Engineering, Plumbing, Heating and Pipeline Services.

- Flexible and adhesive.
- Completely waterproof.
- · Non-abrasive, anti-corrosive and inert.
- Temperature range: -40°C to +350°C.



50ml tube

- Water-repellent, non-melting, tasteless and odourless grease used for electrical insulation purposes and specific lubrication of boiler parts when in contact with potable water.
- Temperature range: -40°C to +200°C.
- WRAS Approved.



Heat Sink Compound

REGZ20

25g

- High thermal stability silicone compound.
 Non-setting. Used to maintain a positive heat sink seal.
- Evenly dissipates heat at the probe for clamp-on and dry pocket boiler overheat thermostats.
- Temperature range: -50°C to 200°C.



Gas Tap Lubricant (Gas Cock Grease)

REGZ15

50g

- High quality grease lubricant for fittings exposed to gases and chemicals.
- Suitable for gas taps, gas cocks and valves.
- Resistant to Natural Gas and LPG.
- Temperature range: 0°C to +160°C.



See Below

High Temperature Silicone Sealant







310ml

- A general purpose silicone with a high temperature tolerance.
- 3 colours available.
- Withstands temperatures of up to 300°C (REGZ35 & REGZ36 - 225°C).
- Provides excellent adhesion to a wide range of surfaces, including metal, glass and glazed ceramics.

- Available in 3 colours:
- REGZ35 White
- REGZ36 Clear
- REGZ37 Black
- Cures at room temperature.
- Remains flexible from -60°C to +300°C (REGZ35 & REGZ36 - 225°C).

REGZ34

Intumescent White Sealant



310ml

- Water based acrylic.
- 4 hour fire rated.
- Can be overpainted.
- High density acoustic sealing formula.
- BS476 pt 20. ISO 11600.
- White in colour.
- Minimum 100% expansion.

- Can be used in joints up to 25mm wide.
- Can be used for: Pipe, cable and channel entries through walls and floors, and internal perimeter joints around fire doors.
- Can be used in contact with most building and decorating materials.



Flue'n'Fire Seal

See Below

150ml

Regin Flue'n'Fire Seal
High Temperature Resistant
Silicate Cement Sealant is
specifically designed for
permanently repairing and
sealing joints, cracks and
fissures in fireplaces, ovens,
chimneys and other surfaces
where heat resistance is
required. It can also be used for
the repairing and assembling of
vehicle exhaust systems.

- Heat resistant to 1500°C.
- Good adhesion to metal, brick and concrete.
- Can be overpainted.
- Primers not required.
- Easy to use.
- Supplied with nozzle.
- Multi purpose.





REGZ32

- Available in 2 colours:
- REGZ31 Natural
 Medium Brown
- REGZ32 Black



Black High Temperature Silicone Sealant - Small Tube

REGZ77

80ml

- Handy smaller 80ml sized tube of our popular REGZ37 Black Silicone Sealant (opposite).
- Ideal for those smaller jobs such as resealing a stove or boiler case.
- Easy squeezable tube with replaceable screw cap.
- Remains flexible from -60°C to +300°C.



REGS15 FUMAX Smoke Pellets - Pack of 10



Pack of 10 pellets

- BS5440 Part 1 compliant.
- Approx. 30 second burn time.
- Produces an estimated 5 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.



REGS20

FUMAX Smoke Pellets - Tub of 100



Tub of 100 pellets

- Approx. 30 second burn time.
- Produces an estimated 5 cubic metres of smoke with an ideal density for flue testing.
- · Encapsulated for ease of use and disposal.
- Supplied in a tough resealable water resistant container.
- BS5440 Part 1 compliant.

REGS21

FUMAX RED Smoke Pellets - Pack of 10



FUMAX Kingsize Smoke Pellets - Pack of 10

REGS25

Pack of 10 King Size pellets

- · BS5440 Part 1 compliant.
- Approx. 60 second burn time.
- Produces an estimated 15 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.
- Supplied in tough resealable water resistant containers.





REGS30

FUMAX Kingsize Smoke Pellets - Box of 50

Pack of 10 pellets

- Produces approx. 30 seconds of dense red smoke for better visibility against white/grey skies.
- Encapsulated for ease of use and disposal.
- Please note that this product is likely to stain.



BS5440 Part 1 compliant.

- Encapsulated for ease of use and disposal.
- Supplied in resealable water resistant containers.

Box of 50 King Size pellets

- Approx. 60 second burn time.
- Produces an estimated 15 cubic metres of smoke with an ideal density for flue testing.

Smoke Matches

- Approx. 15 second burn time.
- Supplied in a resealable water resistant tub.
- Produces a white smoke with an ideal density for spillage testing.
- Available in two sizes:
- REGS07 Tub of 25 Matches
- REGSO6 Tub of 75 Matches





REGS06





REGS40 Pocket Rocket



- Produces a powerful blue flame.
- Ideal for igniting smoke pellets.
- Refillable (with Butane lighter gas).

Steady-Stream Smoke Wands





Pack of 10 Smoke Wands

- Provides a steady plume of smoke, particularly suitable for checking the integrity of positive pressure appliance case seals.
- This product contains no hazardous or corrosive substances.









Premier Solder Mat

REGY12

1300°C


- 29 cm x 19 cm.
- · Withstands temperatures of up to 1300°C.
- · High quality construction.
- Longer lasting.



Turbo Pad REGY10

1000°C

- Approx. 23 cm x 23 cm.
- Withstands temperatures of up to 1000°C.
- Filled mat suitable for use with turbo torches.



Solder Mat REGYO5

600°C

- Approx. 25 cm x 25 cm.
- Withstands temperatures of up to 600°C.
- · Economical DIY type mat.



REGKO5 Boiler First Aid Kit



- 28 commonly used fixings for a wide range of major boiler manufacturer's appliances with a further 4 Regin products needed for everyday service work. Supplied in a high quality assorter case.
- Measures approx. 335mm x 240mm.
- Kit comprises:



REGKO

Premier Professional Fuse Kit



of glass and ceramic quick blow and anti-surge fuses suitable for heating installers. Measures approx. 238mm x 175mm.

A comprehensive 180 piece kit containing 20 types

 Replenishment of all fuses available via our Bits'n'Bolts range (see p154).















Premier Washer Kit

REGK09

A comprehensive 145 piece kit containing 9 types of fibre and rubber washers suitable for heating engineers.

Kit comprises:



Products marked @ are made with a WRAS Approved material and are suitable for use with potable water and Natural Gas.





Installers Service Kit

REGM70

Kit comprises:

Toolbox 12" 'U' Gauge 2m Rubber tube 'U' Gauge fluid 10mm Continuity bond 120ml Leak detection fluid 250ml Leak detection spray Pressure test kit 'GAS' tape 'ON/OFF' tape FUMAX smoke pellets (10) FUMAX KS smoke pellets (10) Smoke matches (75) Aluminium tape 48mm x 45m



REGK15

Plumbers Electrical Kit



- 12 commonly used fuses and electrical components needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ140	REGQ141	REGQ145	REGQ147
Quick Blow	Quick Blow	Standard	Standard
20mm 1A	20mm 2A	25mm 3A	25mm 5A
Fuse (3)	Fuse (3)	Fuse (3)	Fuse (3)
REGQ149	REGQ200	REG0205	REGQ210
Standard	Blue	Blue Butt	Red Push-Do
25mm 13A	Insulated	Connector	Male
Fuse (3)	Ring (10)	(10)	Connector (10)
REGQ215	REGQ220	REGO222	REGQ223
Red Push-On	Red Ignition	P.C.B.	P.C.B.
Female	Lead Female	Support Post	Support Post
Connector (10)	Connector (10)	Type 2 (3)	Type 3 (3)

REGK17

Engineers Electrical Fuse Kit



- 12 commonly used fuses needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ138	REGQ140	REGQ141	REGQ151
Quick Blow	Quick Blow	Quick Blow	Quick Blow
Fuse 20mm	Fuse 20mm	Fuse 20mm	Fuse 32mm
500mA (3)	1 A (3)	2A (3)	500mA (3)
REGQ152	REGQ153	REGQ154	REGQ155
Quick Blow	Quick Blow	Quick Blow	Quick Blow
Fuse 32mm	Fuse 32mm	Fuse 32mm	Fuse 32mm
1A (3)	1.5A (3)	2A (3)	3A (3)
REGQ156	REGQ145	REG0147	REGQ149
Anti-Surge	Ceramic	Ceramic	Ceramic
Fuse 20mm	Fuse 25mm	Fuse 25mm	Fuse 25mm
1A (3)	3A (3)	5A (3)	13A (3)

REGK20

Plumbers Mechanical Kit



- 12 commonly used screws and fixings needed for everyday service work.
- Measures approx. 175mm x 130mm.

REG031	REG032	REGO70	REGQ71
1/4" x 6 S/Tap	1/2" x 8 S/Tap	M4 C/F Steel	M5 C/F Steel
Pozi Screw	Pozi Screw	Wing Nut	Wing Nut
(Steel) (30)	(Steel) (30)	(10)	(10)
REGQ80	REGQ81	REGQ82	REGQ83
No. 8	No. 8	No. 8	No. 8
'U' Nut	Angle Nut	Folded Nut	Dished Nut
(6)	(5)	(5)	(6)
REGQ125	REGQ127	REGQ160	REGQ316
4mm Olive	6mm Olive	Brass	RSM Pack
(Pilot Tube)	(Pilot Tube)	Pressure Test	(Scrows/
(6)	(6)	Nipples (2)	Connectors) (1



Engineers Olive & Washer Kit

REGK25

- 12 commonly used olives and washers needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ125	REGQ127	REGQ128	REGQ129
4mm	6mm	8mm	10mm
Brass Olive	Brass Olive	Brass Olive	Brass Olive
(6)	(6)	(5)	(5)
REG0132	REG0130	REGQ131	REGO112
12mm	15mm	22mm	1"
Brass Olive	Brass Olive	Brass Olive	Fibre Washer
(4)	(6)	(3)	(3)
REGO111	REG0110	RE00186	REGG185
3/4"	1/2"	1"	3/4"
Fibre Washer	Fibre Washer	Meter Washer	Meter Washer
(6)	(8)	(5)	(5)



Plumbers Washer kit

REGK26

- A selection of 200 rubber and fibre washers for a wide variety of applications.
- Measures approx. 175mm x 130mm.

REGGIST	REGGISS	REGGIZA	REGOIDS
1/2" Fibre	1/2" Draw Off	1/2" Ballvalve	Rubber
Washer Y.I.F	Tap Washer	Seating Washer	Bottle Trap
(30)	(20)	(20)	Washer (5)
HEOGIRE	REGGIES	REGQ194	REGGIOS
1/2" Dap &	3/4" Cap &	1/2" Shower	3/4" Washing
Lining Washer	Linky Washer	Hose Washer	Machine Hose
(30)	(20)	(20)	Washer (10)
REGOIZO	RE00191	REGOISO	REDG111
1/2" Flex Top	3/4" Flex Tap	Circulation	3/4"
Conn. Washer	Conn. Washer	Pump Washer	Fibre Washer
(20)	(15)	(4)	(5)



Regin 25 Compartment Organiser Case

REGT24

- Excellent high quality organiser case for the busy tradesman.
- 25 removeable inserts.
- Measures approx.
 335mm x 240mm.



(17.13mm x 2.62mm) (13)

(18.72mm x 2.62mm) (13)

REGK21

O-Ring Kit - Imperial



- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas.

Kit contains:

REGQ713

REGQ714



				10 / 10	(2.70mm x 1.70mm)	201
•	RE	GQ702		5/32" x 1/16"	(3.68mm x 1.78mm)	(20)
•	RE	GQ703	-	3/16" x 1/16"	(4.48mm x 1.78mm)	(20)
,	RE	GQ704	-	7/32" x 1/16"	(5.28mm x 1.78mm)	(20)
•	RE	GQ705		1/4" x 1/16"	(6.07mm x 1.78mm)	(20)
•	RE	GQ706		5/16" x 1/16"	(7.66mm x 1.78mm)	(20)
•	RE	GQ707		3/8" x 1/16"	(9.25mm x 1.78mm)	(20)
4	RE	GQ708	-	3/8" x 3/32"	(9.19mm x 2.62mm)	(13)
3	RE	GQ709		7/16" x 3/32"	(10.78mm x 2.62mm)	(13)
1	RE	GQ710		1/2" x 3/32"	(12.37mm x 2.62mm)	(13)
•	RE	GQ711		9/16" x 3/32"	(13.95mm x 2.62mm)	(13)
•	RE	5Q 712	-	5/8" x 3/32"	(15.54mm x 2.62mm)	(13)

11/16" x 3/32"

3/4" x 3/32"

3/4" x 1/8" **REGQ715** (18.64mm x 3.53mm) (10) 13/16" x 1/8" REGQ716 (20.22mm x 3.53mm) (10) 7/8" x 1/8" 15/16" x 1/8" **REGQ717** (21.82mm x 3.53mm) (10) **REGQ718** (23.40mm x 3.53mm) (10) 1" x 1/8" (24.99mm x 3.53mm) (10) **REGQ719** 1 1/16" x 1/8" REGQ720 (26.58mm x 3.53mm) (10) 1 1/8" x 1/8" (28.17mm x 3.53mm) (10) REGQ721 13/16" x 1/8" (29.75mm x 3.53mm) (10) REGQ722 1 1/4" x 1/8" (31.34mm x 3.53mm) (10) REGQ723 15/16" x 1/8" (32.92mm x 3.53mm) (10) REGQ724

• REGQ725 - 13/g"x 1/g" (34.52mm x 3.53mm) (10) • REGQ726 - 17/16"x 1/g" (36.10mm x 3.53mm) (10) • REGQ727 - 11/2"x 1/g" (37.69mm x 3.53mm) (10) • REGQ728 - 11/2"x 3/16" (37.47mm x 5.33mm) (7) • REGQ729 - 15/g"x 3/16" (40.65mm x 5.33mm) (7)

REGQ729 - 15/8" x 3/16" (40.65mm x 5.33mm) (7)
 REGQ730 - 13/4" x 3/16" (43.82mm x 5.33mm) (7)

O-Ring size refers to inside diameter x cross section (mm).

Quantities of each size in brackets.

O-Rings are available separately. See p162-163 for details.

O-Ring Kit - Metric

REGK22

High quality Nitrile (NBR 70) O-Rings in metric sizes

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas...



- REGQ751 3mm x 2.0mm (18)
- REGO752 4mm x 2.0mm (18)
- REGQ753 5mm x 2.0mm (18)
- REGQ754 6mm x 2.0mm
- (18)
- REGQ755 7mm x 2.0mm (17)
- REGQ756 8mm x 2.0mm (17)
- 10mm x 2.0mm (17) REGQ757
- 10mm x 2.5mm (14) REGQ758
- 11mm x 2.5mm (14) REGQ759
- 12mm x 2.5mm (14) REGQ760
- **REGQ761** 14mm x 2.5mm
- REGQ762 16mm x 2.5mm (14)
- 17mm x 2.5mm (14) REGQ763
- REGQ764 19mm x 2.5mm (14)
- 19mm x 3.0mm (12) REGQ765
- REGQ766 20mm x 3.0mm (12)
- 22mm x 3.0mm (12) REGQ767
- 24mm x 3,0mm (12) **REGQ768**
- REGQ769 25mm x 3.0mm (12) REGQ770 27mm x 3.0mm (12)
- 28mm x 3,0mm (12) **REGQ771**
- 30mm x 3.0mm (12) REGQ772
- 32mm x 3.0mm (12) REGQ773
- REGQ774 33mm x 3.0mm (12)
- 35mm x 3.0mm (12) REGQ775
- REGQ776 36mm x 3.0mm (12)
- 38mm x 3.0mm (12) REGQ777
- 38mm x 4.0mm (9)
- 42mm x 4.0mm **REGQ779**
- **REGQ780** 45mm x 4.0mm

O-Ring size refers to inside diameter x cross section (mm).

Quantities of each size in brackets.

O-Rings are available separately. See p162-163 for details.





REGP36

Danger - Do Not Use Sticker / Tag



8 stickers/tags per pack

- Adhesive label which sends a clear message to the gas user/responsible person that the appliance/installation is unsafe to use.
- Provides a means for engineers to fulfil the requirements placed upon them by the Gas Safety (Installation and Use) regulations 2015 (Edition 7) to notify or inform responsible persons and owners of premises/ appliances of safety defects and dangers.
- · Cable ties provided.
- Measures approx. 120mm x 100mm.

REGP26

Danger - Do Not Use Sticker / Tag complete with Engineer Details



8 stickers/tags per pack

- As REGP36 above, but includes a section for engineers to fill in their contact details.
- Cable ties provided.
- Measures approx. 120mm x 140mm.



Appliance Settings Caution Sticker



8 stickers per pack

- Adhesive label which sends a clear message to the resident not to alter the appliance settings.
- Measures approx. 138mm x 85mm.



Gas Appliance Serviced Sticker

REGPIO



8 stickers per pack

- Provides installation and service information.
- Service due reminder.
- Measures approx. 100mm x 125mm.

Electrical Bonding Sticker

REGPII



8 stickers per pack

- Adhere, where appropriate, to an appliance in order to warn of the lack of equipotential cross bonding of the gas installation.
- Measures approx. 102mm x 69mm.

REGPO5

Gas Appliance Serviced Tag



8 tags per pack

- Provides installation and service information.
- For situations where an adhesive label cannot be used.
- · Cable ties provided.
- Measures approx.
 100mm x 125mm.

REGPOI

Flammable Gas Warning Diamond



1 sticker per pack

- Internationally recognised symbol required on vehicles.
- Self adhesive vinyl.
- Measures approx.
 100mm x 100mm.

REGPO2

Compressed Gas Warning Diamond



1 sticker per pack

- Internationally recognised symbol required on vehicles.
- Self adhesive vinyl.
- Measures approx.
 100mm x 100mm.



Important -Compartment Sticker



8 stickers per pack

- Warns of the dangers of blocking ventilation and storing items in compartments and airing cupboards.
- Measures approx. 100mm x 125mm.



Caution Very Hot Water



8 stickers per pack

- Measures approx. 77mm x 52mm.
- Provides clear warning to use caution when using the hot water.

Discreet Compartment



8 stickers per pack

- · As per REGP15 (left), but in more muted colours as not to look too garish in the home.
- Measures approx. 100mm x 80mm.



Gas Valve Location Sticker



8 stickers per pack

- Sticker to clearly identify the location of the Gas Emergency Control Valve.
- Measures approx. 110mm x 70mm.

REGP43 Gas Isolation Valve Sticker



8 stickers per pack

- Measures approx. 138mm x 85mm.
- Provides clear details of an emergency gas isolation valve.









Uncommissioned Appliance Tag

REGP44



8 tags per pack

- Identifies uncommissioned gas appliances and installations.
- Cable ties provided.
- Measures approx. 139mm x 85mm.

5 Minute Hot Water Warning Sticker

REGP41



8 stickers per pack

- Measures approx. 90mm x 84mm.
- Provides operation and service information.

Balanced Compartment Sticker

REGP29



8 stickers per pack

- Measures approx. 140mm x 90mm.
- Warns to keep door closed at all times.

Lock Off Plate / Tag

REGP94



8 notice plates per pack

- Approx. 150mm x 40mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP40

Gas Emergency Control Sticker



8 stickers per pack

- Identifies gas emergency control valves and provides clear and concise instructions to follow.
- Measures approx. 138mm x 85mm.

Chimney / Hearth Notice Plates





10 notice plates per pack

- 145 x 90mm plastic with pre-drilled holes.
- Complete with permanent marker.
- Measures approx. 145mm x 90mm.

@RESINPRODUCTS

WWW.Regin.Q.UK

REGPLOI

Safety Warning - (Liquid Fuel) Immediate Risk Do Not Fill Sticker / Tag



8 stickers/tags per pack

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel storage tanks where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO2

Safety Warning - (Liquid Fuel) Immediate Risk Do Not Use Sticker / Tag



8 stickers/tags per pack

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel fired appliances and equipment where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and end users of oil and liquid fuel fired appliances and equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO8

Warning -This Tank Contains Kerosene Sticker



Pack of 5 stickers

- Measures approx. 210mm x 148mm.
- Tank storage safety label for tanks containing Kerosene.

Safety Warning - (Liquid Fuel) Potential Risk Identified Sticker / Tag

REGPLO3

8 stickers/tags per pack

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel storage tanks, appliances and equipment where potential, Fire, Safety and/or Environmental Risks are identified.
- Clear warning to owners and custodians of storage tanks, appliances and associated equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.



Service Reminder - (Liquid Fuel) Sticker / Tag

REGPL04

8 stickers/tags per pack

- Measures approx. 100mm x 125mm.
- Great for repeat business and recommendations.
- Reminds your customers who you are and the work you've done.
- Reminds customers of the importance of regular servicing and inspection.
- · Cable ties provided.



Important - This Tank Contains HVO Sticker

REGPL09

Pack of 5 stickers

- Measures approx. 210mm x 148mm.
- Tank storage safety label for tanks containing Hydrotreated Vegetable Oil.





Warning Do Not Use Tag



8 tags per pack

 Ensure that an electrically unsafe appliance/equipment/installation is brought to the attention of the user and requires remedial work, or further investigation.





8 stickers per pack

 Ensure that an electrically unsafe appliance/equipment/installation is brought to the attention of the user and requires remedial work, or further investigation.



Warning Disconnection



8 stickers per pack

 Remind electrically competent persons to disconnect the electrical supply before removing electrical access covers.



Danger Live Terminals Sticker



8 stickers per pack

 Alerts to the fact that live terminals are present within an enclosure.



Danger 230 Volts Sticker



8 stickers per pack

Warns of the presence of 230V.

Warning Isolate Supply Sticker



8 stickers per pack

 Remind electrically competent persons to isolate the electrical supply before removing electrical access covers.











Warning Connection Do Not Remove Sti<u>cker</u>

REGEP26



8 stickers per pack

Identifies the main earth safety electrical connections.

Caution Wiring I.D. Sticker





8 stickers per pack

 Draws attention to the fact that the installation contains cable colours of two different versions of BS 7671.

Important Inspection Reminder Sticker

REGEP28



8 stickers per pack

 Reminds the user of the importance of periodic inspections.

Important Safety Device Sticker

REGEP29



8 stickers per pack

 Warns of the importance of testing the protective device by affixing this highly visible label to the consumer unit.

Warning Isolation Tag

REGEP30



8 tags per pack

 Quick and efficient means of identifying that the electrical supply source has been isolated.

Equipotential Warning Tag

REGEP31



8 tags per pack

 Advise the location of a property's equipotential bond connection for the gas supply.



50 metre roll

- Available in 75mm wide (approx. 3 inch) x 50 metre long rolls and 0.1mm thick.
- Clearly marked and manufactured in industry recognised colours.
- Regin Traceable Underground
 Tape is used for accurately locating
 and preventing damage to
 valuable underground utility
 installations. It has an aluminum
 backing to make underground
 assets easy to find using a nonferrous locator.
- Regin Traceable Underground Tape is a non-adhesive reinforced

tape for use by professionals in safety, construction, mining, hardware, utilities, and many other industries.

- This tape can quickly and easily be placed to provide warning of hazardous or dangerous situations on construction sites, road repairs or work sites.
- Properly installed, Regin Traceable Underground tape helps avoid catastrophically inaccurate digging when locating utilities.
 - Available in two versions:
 - REGA01 'GAS' Tape
 - REGA02 'LIQUID FUEL' Tape



Aluminium Foil Tape See Below

- 45 metre roll.
- Class "O" fire rated.
- BS476 Part 6 & 7.
- High temperature resistance.
- Water resistant.
 - Available in three sizes:
 - REGJ70 48mm wide
 - REGJ71 72mm wide
 - REGJ72 96mm wide



REGJ70

* All measurements are approximate.

Aluminium Foil Tape -48mm wide

REGJ71

Aluminium Foil Tape -72mm wide

REGJ72

Aluminium Foil Tape -96mm wide







Duct Tape - Black


REGJ75

50 metre roll

- · General purpose adhesive cloth duct tape.
- 48mm wide.
- · Polythene coated cloth tape.
- Aggressive high tack adhesive.
- Temperature range 0°C to 70°C.
- · For general purpose jointing, sealing, repairing, weatherproofing, packing and many other uses.







REGA06

GAS Tape -Extra Long Roll



66 metre roll

- Extra long roll.
- 48mm wide.

REGAIO

ON/OFF Tape

48mm wide.



33 metre roll

36mm wide.

REGA15

DANGER DO NOT USE Tape



33 metre roll

36mm wide.

REGA20

HEATING Tape



33 metre roll

36mm wide.







REGA07 OIL Tape

6 6 6

33 metre roll

36mm wide.

REGA45

on Yellow

Tape

Black Arrow

All measurements are

36mm wide.

REGA55 LPG Tape



33 metre roll

36mm wide.

REGA46

White Arrow on Blue Tape



33 metre roll

36mm wide.

REGA50

White Arrow on Green Tape



33 metre roll

36mm wide.







REGA35





REGA37

HOT WATER FLOW Tape



33 metre roll

36mm wide.

REGA22

FLOW Black on Yellow Tape



33 metre roll

• 36mm wide.

REGA32

FLOW White on Green Tape



33 metre roll

• 36mm wide.

REGA38

All measurements are approximate.

HOT WATER RETURN Tape



33 metre roll

36mm wide.

REGA23

RETURN Black on Yellow Tape



33 metre roll

• 36mm wide.

REGA33

RETURN White on Green Tape



33 metre roll

36mm wide.

REGJ01

Multi-Purpose Silicone Repair Tape



WRAS Approved

- Multi-Purpose Clear Silicone Temporary Repair Tape.
- WRAS Approved.
- 3.6m roll.
- Self-fusing 'wrap & repair' silicone based tape.
- Simply stretch & wrap to repair water/plumbing leaks, insulate cables, seal & secure connectors, bind rope ends to prevent fray, exhaust & automotive repair and much more.

See Below PVC Insulation Tape

Suitable for electrical insulation, binding, colour coding and general work.

- Conforms to BS3924.
- 19mm wide

- 20m long.
- Flame retardant.

REG0641

REG0642


REG0643

REG0644

Red Tape

Green/Yellow Stripe Tape

Green Tape









REG0645

REG0646

REGQ647

REG0648

Yellow Tape

Blue Tape

White Tape

Brown Tape











Double Sided Foam Sealing Tape

REGJ55

Pack of 3 rolls

- Each roll is 3 metres long, 12mm wide, 1.5mm thick.
- Temperature range: (-40°C to +70°C).

Please note: Not to be used as a boiler case seal.



Single Sided Foam Sealing Tape

REGJ60

Pack of 2 rolls

- Each roll is 4 metres long, 12mm wide, 12mm thick.
- Temperature range: (-40°C to +120°C).
- General purpose gap sealing tape.

Please note: Not to be used as a boiler case seal.



Boiler Case Seal

See Below

5 metre roll (1 roll per pack)

- Expanded EPDM/Neoprene Sponge sealing strips.
- Adhesive backed.
- Service Temp: -40°C to +120°C.



REGJ56

Boiler Case Seal 10mm thick x 10mm wide



Boiler Case Seal 5mm thick x 10mm wide



Boiler Case Seal 10mm thick x 15mm wide



Boiler Case Seal 5mm thick x 15mm wide



@RESINPRODUCTS

WWW.Regin.C.UK

Standard PTFE Tape



12 metre roll

- Complies to BS7786: 1995 Grade L.
- WRAS approved.



Gas Spec. PTFE Tape (One Wrap)



5 metre roll

- Complies to BS.EN. 751-3 1997.
- Can be used on threaded assemblies carrying Natural Gas, LPG, liquids etc.

REGQ630

GAS Pipe Label



8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

REGQ632

HOT WATER Pipe Label



8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

REGQ634

COLD WATER Pipe Label



8 per pack

- Self adhesive.
- Easy-Peel-Off backing.











REGL30

Central Heating Cleaner

- Disperses sludge, limescale and other deposits.
- Treats up to 10 radiators -1 bottle for a typical heating system.
- 500ml treats up to 100 litres.
- For use in accordance with BS7593:2006
- Suitable for Mixed Metal Systems.
- Filling Kit available (REGL45).



Central Heating Inhibitor

REGL40

- Prevents corrosion and limescale.
- Buildcert Approved.
- Treats up to 10 radiators 1 bottle for a typical heating system.
- 500ml treats up to 100 litres.
- For use in accordance with BS7593:2006
- Suitable for Mixed Metal Systems.
- Filling Kit available (REGL45).



Treatment Filling Kit

REGL45

- · For use with Regin & other suitable central heating treatments.
- Connects 500ml bottles, with 38mm standard caps, to central heating system.



















Stove Kange

Stove Range

• Coal Paint	142
• Stove Paint	142
• Class Cleaner	142
• Stove Rope & Fixative	148
• Flue In The Silicate Coment	144
• Silicone Sealant	144
• Chimney & Flue Cleaner	145
• Heat Resistant Cloves	145
• Stove Polish	145
• Chimney Notice Plates	145
• Stove Thermometers	143
• Moisture Meter	1947
• Smoke Pallets	147
• Smoke Matches	147

Back to Black **Coal Paint**

See Below

200ml aerosol



Revolutionary product - The original black pigment, as used by much of the fireplace industry.

- Quick, safe and easy to use.
- OEM pigment for use in gas fires up to 1100°C.
- Typically restores up to four complete fires*.
 - Available in two varieties:
- REGZ65 200ml aerosol can
- REGZ66 30ml brush-on bottle

Stove Paint - Black





Regin Premier Stove Range Stove Paint is a very high temperature corrosion resistant non-clogging paint for use on wood or multi-fuel stoves, grates, flues, etc.

- Matt finish.
- Heat resistant to 650°C.
 - Available in two sizes:
 - REGST10 250ml can
 - REGST15 450ml can

REGST20

Stove Glass Cleaner



320ml

Regin Premier Stove Range Glass Cleaner clings to surfaces to remove creosote and tar deposits.

- For use on wood, coal or oil burning equipment, glass firescreens etc.
- Use regularly to avoid stubborn accumulations of tar/creosote deposits on glass doors.
- Can be used on glass oven doors as a de-greaser.



Stove Rope - Braided

See Below



High temperature sealing yarn for ovens, boilers, flues and general heating applications.

- 1.5 Metre Pack.
- Max Temp 550°C.
- Asbestos free braided yarn.
 - Available in three diameters:
 - REGST32 6mm
 - REGST34 9mm
 - REGST36 12mm

Stove Rope & Fixative Kit

See Below



Convenient kit containing 1.5m of Braided Stove Rope and a bottle of Stove Rope Fixative.

- Available in three diameters:
- REGST40 6mm
- REGST42 9mm
- REGST44 12mm

All come complete with a 30ml bottle of **Stove Rope Fixative REGST25**

Stove Rope Fixative

See Below

- Heat resistant to 850°C.
- For adhering glass yarn to metal and glass.
- Available in two sizes:
- REGST25 30ml Bottle Brush on applicator.
- REGST30 120ml Bottle Nozzle applicator.

REGST25



REGST30



See Below

Flue'n'Fire Seal 1500°C Silicate Cement

REGZ31







150ml

Regin Flue'n'Fire Seal High Temperature Resistant Silicate Cement Sealant is specifically designed for permanently repairing and sealing joints, cracks and fissures in fireplaces, ovens, chimneys and other surfaces where heat resistance is required. It can also be used for the repairing and assembling of vehicle exhaust systems.

- Heat resistant to 1500°C.
- Good adhesion to metal. brick and concrete.
- Can be overpainted.
- Primers not required.
- Easy to use.
- Supplied with nozzle.
- Multi purpose.

See p65 for bespoke Sealant Gun REGB83

Available in 2 colours:

 REGZ31 - Natural Medium Brown

REGZ32 - Black

REG277

Black High Temperature Silicone Sealant - Small Tube



80ml

- Handy smaller 80ml sized tube of our popular REGZ37 Black Silicone Sealant (p110).
- Ideal for those smaller jobs such as resealing a stove or boiler case.
- Easy squeezable tube with replaceable screw cap.
- Cures at room temperature and remains flexible from -60°C to +300°C.











Stove Range

Chimney & Flue Cleaner

REGST50



750g tub

- Regin Stove Range Chimney & Flue Cleaner attacks and reduces creosote and tar deposits that have built up on flue linings.
- Improves your flue's health & efficiency.
- With regular use these hard deposits become crystallised and either fall off or are removed during chimney sweeping.

Stove & Grate Polish

REGSTOI



170g tub

Regin Premier Stove Range Stove & Grate Polish is a water based polish formulated to cover minor scratches and rust, leaving an even finish which, when dry, does not rub off.

Stove Heat Resistant Gloves

REGST65





- 1 pair
- Protects hands against temps up to 350° dry contact heat.
- · Contact heat level 3.
- Cut level 5.
- 100% KEVLAR® outer layer.
- Machine washable. Soft and flexible.
- Non allergenic.
- · Strong and lightweight.

Chimney / Hearth Notice Plates

REGP33



Pack of 10 Notice Plates

- 145mm x 90mm plastic with pre-drilled holes.
- To comply with the requirements of Building Regulations.
- Complete with marker pen.

REGXE65

Pocket Infra Red Thermometer



- Non-contact temperature measurement.
- Laser targeting.
- · Backlit LCD Display.
- Measurement Range: -30°C to +260°C.
- Optical Resolution: 8:1 Distance to spot size.
- Switchable °F/°C.
- Auto Power Off.
- Hold Function.
- Max/Min Function.



Temperature





Power Off Measurement





REGXE68

3-in-1 Thermometer



- Infra Red Temperature Measurement:
 -35°C to +260°C
- Thermistor Probe Temperature Measurement: -40°C to +260°C.
- Clamp Temperature Measurement: -40°C to +200°C (clamp opening ≈ 25mm).
- Switchable "F/"C.
- Auto Power Off.
- Hold Function.
- Max/Min Function.





Temperature Measurement







Easy Stainles Operation Steel Pro

REGST75

Stove Pipe Thermometer



- Monitor the performance of your wood or multi fuel stove.
- Easy to read.
- Attaches magnetically.
- "C and "F scales.
- Improves stove's efficiency.



Stove Range

Digital Wood Moisture Meter

REGST80

- Measures moisture range from: 3.0% to 40.0%.
- Large, easy-to-read display including speedometer style scale.
- Supplied in Nylon pouch.
- · Low battery indication.
- · Data-hold function.
- ON/OFF push-button power switch.
- Auto power-off after 15 minutes of inactivity.
- Supplied with battery.



Stove Range Smoke Pellets

REGST02

Pack of 10 pellets

- BS5440 Part 1 compliant.
- Approx. 30 second burn time.
- Produces an estimated 5 cubic metres of smoke with an ideal density for flue testing.
- · Encapsulated for ease of use and disposal.



Stove Range Smoke Matches

REGST03

Tub of 25 matches

- Approx. 15 second burn time.
- Supplied in a resealable water resistant tub.
- Produces a white smoke with an ideal density for spillage testing.
- Average contents: 25 matches.



Bits'n'Bolts















Bits'n'Bolts

Bits'n'Bolts

O Electrical Connectors Pre-Insulated Terminals, Connector Strips etc.	150
Ouick Blow Fuses, Anti-Surge Fuses etc.	154
O Miscellaneous Bits in Bolts Test Nipples, Sealing Discs, Jubilee Clips, Radiator Keys	155 s etc.
Nuts Full Nuts, Wing Nuts, Split Nuts etc.	130
Olives Brass Olives in various sizes.	181
O-Rings Imperial & Metric Nitrile O-Rings	162
O PCB Support Posts. Printed Circuit Board Support Posts.	164
Salews	135
Spire Nuts Spire Nuts, Control Knob Clips.	188
• Tapes & Labels PVC Insulation Tapes, Pipe Labels.	167
Washers Fibre Washers, Bespoke Washers, Union & Adaptor &	168 shers etc.

REGO200

Blue Insulated Ring Connector



20 per pack

- For wires 1.5 2.5mm.
- · High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REGQ201

Red Insulated Ring Connector



10 per pack

- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REG0240

Blue Piggy Back Connector



10 per pack

- For wires 1.5 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REG0204



15 per pack

- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REG0205



15 per pack

- For wires 1.5 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REG022

Red Ignition Lead Connector



- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.







Bits'n'Bolts

REGQ210

Red Push-On Connector -Male



15 per pack

- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REGO215

Red Push-On Connector -Female



10 per pack

- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REGO216

Red Bullet Connector -Male



10 per pack

- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REGQ217

Red Bullet Connector -Female



10 per pack

- For wires 0.5 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REGQ218

Blue Bullet Connector -Male



10 per pack

- For wires 1.5 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.

REGQ219

Blue Bullet Connector -Female



- For wires 1.5 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.





2 strips per pack

- Flexible polyethylene material with 12-way terminal strip and brass inserts and screws.
- 80°C working temperature.
- See below for Insulated Terminal Driver REGE251.

Connector Strip



1 strip per pack

- Flexible polyethylene material with 12-way terminal strip and brass inserts and screws.
- 80°C working temperature.
- See below for Insulated Terminal Driver REGE251





- High quality special alloy chrome vanadium blade for longer life.
- Ultra comfort swivel top gives speed and control.
- Thin sleeve protected blade still gives excellent access.

Also available as Pozi: (REGE252, see p51).



in.co.uk











Bits'n'Bolts

Electrical Connector with Strain Relief

See Below







Durable, high quality and long-lasting 3,5 & 6 way electrical connectors used to make the wiring in boilers far more efficient for servicing and maintenance work.

Complete with Strain relief for added safety.

- For flexible, stranded and solid wires.
- Strain relief.
- Rated voltage: 250V 400V
- Rated current: 20A
- Max. operating temperature: 70°C.
- Min. operating temperature: -30°C
- Complete with locking latch for added security.

Supplied with
1 x male connector,
1 x female connector,
screws & fitting instructions.

Versions available:

- REGE105 5 Way Connector
- REGE103 3 Way Connector
- REGE106 6 Way Connector

See Below Quick Blow Fuses



Glass Fuses:

- REGQ138 20mm 500mA (3)
- **REGQ140 20mm 1A (3)**
- REGQ141 20mm 2A (3)
- REGQ142 20mm 3.15A(3)
- REGQ151 32mm 500mA(3)
- REGQ152 32mm 1A (3)
- REGQ153 32mm 1.5A (3)
- REGQ154 32mm 2A (3)
- REGQ155 32mm 3A (3)

Ceramic Fuses:

- REGQ144 20mm 4A (3)
- REGQ157 32mm 500mA (1)
- REGQ148 32mm 5A (2)

See Below | Standard Fuses



Ceramic Fuses:

- REGQ146 25mm 2A (2)
- REGQ145 25mm 3A(3) REGQ147 25mm 5A(3) REGQ149 25mm 13A(3)

REGKO7

Premier **Professional** Fuse Kit



See page 116 for full details

See Below Anti-Surge Fuses



Glass Fuses:

- REGQ136 20mm 630mA (3)
- REGQ143 20mm 3.15A(3)
- REGQ156 20mm 1A(3)
- REGQ159 20mm 1.25A(3)

Ceramic Fuses:

- **REGQ150 20mm 1A(2)**
- REGQ158 32mm 1.6A(2)

REGK17

Engineers Fuse Kit



See page 118 for full details











REGQ602 Sealant Nozzles



- A simple solution for blocked nozzles.
- For use with most 310ml and 150ml sealant type tubes.
- 4 nozzles per pack.

REGQ237



1 per pack

- Specifically designed to allow a convenient and easy method of complying with the current IEE wiring regulations.
- Easily used in earthing applications with wet filled radiators, steel kitchen sinks, ducting, suspended ceilings or any other metalwork that offers a 'fin' contact area.

Pressure Test



1 per pack

- Metric test point nipple with M8 thread.
- For Natural Gas and LPG.
- Ideal for routine maintenance.
- Brass construction.

REGO601

Z' Driver Angled Screwdriver



No.2/6mm

- Phillips and slotted head driver.
- Overall length approx. 145mm.

Disposable **Anti-Static Wrist**



 For removing potentially damaging static charges when installing or removing sensitive electronics such as P.C.B's during maintenance and repairing of appliances.

REGO160

Brass Pressure Test Nipple



2 per pack

- Test point nipples with 1/8" BSP thread.
- For Natural Gas and LPG.
- Ideal for routine maintenance of appliances.
- Brass construction.
- Long-lasting.

REGTII

Bits'n'Bolts Retriever



- Heavy-duty five section telescopic pick-up tool.
- Large magnet with strong capacity and recessed LED to illuminate target
- Textured, contoured handle for added comfort.
- Knurled twist on/off switch for ease
- Extends to approx: 80cm (32") in length.

See Below

Meter Sealing



- Available in two sizes:
- REGQ180 3/4" diameter. 4 per pack.
- REGQ181 1" diameter. 3 per pack.

See Below

Meter Union



- REGQ185 3/4" 10 per pack. (25.8 x 20.2 x 2.4mm).
- REGQ186 1" 10 per pack. (32.3 x 25.8 x 2.4mm).

Other sizes available, see p173











Neon Mains Test Screwdriver

REGO600



1 per pack

- · Contains a neon indicator in the clear plastic handle which lights up when the point of the screwdriver is touched on voltages between 220-250V and your thumb is forming an earth contact with the metal stud set into the top of the handle.
- The mains tester has a plastic insulating sleeve on the screwdriver blade.

Cable Ties

See Below



- Available in two sizes:
- REGQ610 140mm long. 50 per pack.
- REGQ611 250mm long. 30 per pack.

Jubilee Hose Clip

See Belou



1 per pack

- Available in three sizes:
- REGQ820 13 20mm diameter.
- REGQ825 17 25mm diameter.
- REGQ835 25 35mm diameter.

Steel Earthing Clamp

See Below



- For 12-32mm diameter pipes.
- Available in two varieties:
- REGQ235 Red Steel Earthing Clamp. For dry conditions.
- REGQ236 Blue Steel Earthing Clamp. For areas prone to moisture.

@RegINPRODUCTS

WWW.Regin.Q.UK





2 per pack


 Solid brass radiator bleed key suitable for most radiator bleed nipples.





- 20g bottle.
- High performance fast bonding glue.
- Bonds quickly at room temperature.
- High performance fast bonding glue.
- Suitable for rubber, plastic, metal, wood, leather, ceramics and fabric.













- Self adhesive covers unsightly holes.
- Metallic.









@RegINPRODUCTS





WWW.Regin.Q.UK

<u>See Below</u> Steel Full Nut



- Available in two sizes:
- REGQ50 M4. 30 per pack.
- REGQ51 M5. 30 per pack.

See Below Steel Wing Nut



- Available in three sizes:
- REGQ70 M4. 10 per pack.
- REGQ71 M5. 10 per pack.
- REGQ75 1/4" BSW. 5 per pack.

REGO314

M8 Hexagon Brass Nut



4 per pack

See Below

Thermocouple Wide Slot Split Nut



2 per pack

- Available in two sizes:
- REGQ304 M10.
- REGQ306 11/32".

REGQ310

M8 x M10 Thermocouple Adaptor Nut

















ómm Brass Olive



8mm Brass Olive



10mm Brass Olive



(3)





6 per pack

6 per pack

5 per pack

5 per pack



12mm Brass Olive



4 per pack

REGO130

15mm Brass Olive



6 per pack

REGQ131

22mm Brass Olive



See Below

O-Rings - Imperial



High quality Nitrile (NBR 70) O-Rings in Imperial sizes (BS1806)

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas.

Sizes Available:

```
REGQ701
                             1/8" x 1/16"
                                                 (2.90mm x 1.78mm)
                            5/32" x 1/16"
3/16" x 1/16"
REGQ702
                                                 (3.68mm x 1.78mm)
REGQ703
                                                 (4.48mm x 1.78mm)
                                                                                  (20)
                             7/32" x 1/16" (5.28mm x 1.78mm)
                                                                                 (20)
                             1/4" x 1/16"
5/16" x 1/16"
REGQ705
                                                 (6.07mm x 1.78mm)
                                                                                 (20)
                                                (7.66mm x 1.78mm)
                                                                                 (20
REGQ706
                            3/8" x 1/16"
                                                 (9.25mm x 1.78mm)
                                                                                  (20
REGQ707
                            3/g" x 1/16" (9.25mm x 1.78mm) (20)
3/g" x 3/32" (9.19mm x 2.62mm) (13)
7/16" x 3/32" (10.78mm x 2.62mm) (13)
9/16" x 3/32" (12.37mm x 2.62mm) (13)
9/16" x 3/32" (13.95mm x 2.62mm) (13)
5/g" x 3/32" (15.54mm x 2.62mm) (13)
11/16" x 3/32" (17.13mm x 2.62mm) (13)
3/4" x 3/32" (18.72mm x 2.62mm) (13)
3/4" x 1/8" (18.64mm x 3.53mm) (10)
13/16" x 1/8" (20.22mm x 3.53mm) (10)
13/16" x 1/8" (21.82mm x 3.53mm) (10)
15/16" x 1/8" (23.40mm x 3.53mm) (10)
REGQ708
REGQ709
REGQ710
REGQ711
REGQ713
REGQ714
REGQ715
REGQ716
REGQ717
REGQ718
                             15/16" x 1/8"
                                                 (23.40mm x 3.53mm) (10)
                                                 (24.99mm x 3.53mm) (10)
                            1 1/16" x 1/8" (26.58mm x 3.53mm) (10)
1 1/8" x 1/8" (28.17mm x 3.53mm) (10)
1 3/16" x 1/8" (29.75mm x 3.53mm) (10)
REGQ720
REGQ721
REGQ722
                            1 1/4" x 1/8" (31.34mm x 3.53mm) (10)
1 5/<sub>16</sub>" x 1/8" (32.92mm x 3.53mm) (10)
1 3/8" x 1/8" (34.52mm x 3.53mm) (10)
REGQ723
REGQ724
REGQ725
                             17/16" x 1/8" (36.10mm x 3.53mm) (10)
REGQ726
REGQ727
                                                 (37.69mm x 3.53mm) (10)
                             1 1/2" x 3/16" (37.47mm x 5.33mm) (7)
REGQ728
                             15/8" x 3/16" (40.65mm x 5.33mm) (7)
REGQ729
REGQ730
                             1 3/4" x 3/16" (43.82mm x 5.33mm) (7)
```

O-Ring size refers to inside diameter x cross section (mm).
Quantities of each size in brackets

Quantities of each size in brackets.

O-Rings - Metric See Below


High quality Nitrile (NBR 70) O-Rings in metric sizes

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas...

Sizes Available:

- 3mm x 2.0mm REGQ751 REGQ752 4mm x 2.0mm 5mm x 2.0mm REGQ753 (18) 6mm x 2.0mm (18) REGQ754 7mm x 2.0mm (17) REGQ755 8mm x 2.0mm (17) REGQ756
- 10mm x 2.0mm (17) REGQ757 10mm x 2.5mm (14)
- REGQ759 11mm x 2.5mm (14) 12mm x 2.5mm (14) REGQ760
- 14mm x 2.5mm (14) 16mm x 2.5mm (14) REGQ762 17mm x 2.5mm (14) REGQ763
- REGQ764 19mm x 2.5mm (14) 19mm x 3.0mm (12)
- 20mm x 3.0mm (12) REGQ766 22mm x 3.0mm (12)
- 24mm x 3.0mm (12) **REGQ768**
- 25mm x 3.0mm (12) 27mm x 3.0mm (12) **REGQ770**
- 28mm x 3.0mm (12)
- 30mm x 3.0mm (12) 32mm x 3.0mm (12)
- 33mm x 3.0mm (12)
- 35mm x 3.0mm (12) 36mm x 3.0mm (12)
- 38mm x 3.0mm (12) REGQ777 38mm x 4.0mm (9)
- REGQ778 **REGQ779** 42mm x 4.0mm (9)
- 45mm x 4.0mm (9)







Steel Pozi Pan Screw

See Below

- REGQ01 M3 x 6 30 per pack
- · REGQ02 -M4 x 10 20 per pack
- REGQ03 M4 x 16 20 per pack
- REGQ09 M5 x 8 20 per pack
- REGQ04 M5 x 16 20 per pack
- REGQ05 M5 x 25 15 per pack
- REGQ06 M6 x 16 10 per pack
- REGQ07 M6 x 25 10 per pack
- REGQ08 M6 x 45 5 per pack



REGO25

Slotted Pan Screw



M5 x 10MT

20 per pack.



Bolt Black Hex H



5 per pack.

S/Tap Pozi Steel Screw

See Below



 REGQ17 - 8 x 3/8" 30 per pack

 REGQ31 - 6 x 1/4" 30 per pack

 REGQ32 - 8 x 1/2" 30 per pack

• REGQ33 - 8 x 3/4" 30 per pack

 REGQ34 - 8 x 12.5mm 20 per pack



WWW.Regin.Q.UK



Spire Nut - No. 8 'U' Nut



5 per pack

REGQ81

Spire Nut - No. 8 Angle



5 per pack

REGQ82

Spire Nut - No. 8 Folded



5 per pack

Spire Nut - No. 8 Dished



5 per pack

REGQ86

Control Knob 'D' Clip













See Below

PVC Insulation Tape

Suitable for electrical insulation, binding, colour coding and general work.

- Conforms to BS3924.
- 19mm wide

- 20m long.
- Flame retardant.

REGQ641

REGQ642

REG0643

REG0644

Black Tape



Green/Yellow Stripe Tap<u>e</u> **Green Tape**









REGQ645

REGQ646

REGQ647

REGQ648

Yellow Tape

Blue Tape

White Tape

Brown Tape









REG0630

GAS Pipe Label



8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

REGQ632

HOT WATER Pipe Label



8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

REGQ634

COLD WATER Pipe Label



- Self adhesive.
- Easy-Peel-Off backing.

- The Regin range of Fibre Washers are manufactured from a WRAS Approved material and are suitable for use with Potable water.
- Suitable for use with Natural Gas.
- Recommended max. temperature: 300°C (max. steam temp. 180°C).
- Suitable for use with oils, fuels, low pressure steam, water and gas.



Fibre Washer Pack




- · Replacement Diverter Valve Washers.
- Pack comprises: 3 x 1/2" Fibre Washers, 3 x 3/4" Fibre Washers & 1 x 1" Fibre Washer.
- Recommended max. temperature: 300°C (max. steam temp. 180°C).
- WRAS Approved.

REGOIIO

Washer



8 per pack



REGOIII

bre Washer



6 per pack



REGO112

Fibre Washer















8 per pack



REGQ103

1/4" Fibre Washer



8 per pack



REGO104

3/8" Fibre Washer



6 per pack



REGO105

1/2" Fibre Washer



6 per pack



REGO106

3/4" Fibre Washer



4 per pack



REGQ107

1" Fibre Washer



4 per pack



REGQ108

1 1/4" Fibre Washer



3 per pack



@RegINPRODUCTS

WWW.Regin.Q.UK

REGQ109

Fibre Pump Washer



3 per pack

- For sealing in low temperature and low pressure applications.
- Particularly recommended for fuel oil installations.
- Maximum temp: 180°C



REGQ190

Circulation Pump Washer



4 per pack

- (44.95/43.95mm x 32.1/31.4mm x 2.2/1.8mm).
- Manufactured from black Neoprene rubber.



1/2" Flex Tap Connection Washer



20 per pack

Non asbestos Nov30.



REGQ121

1/2" Fibre Washer Y.I.F.



30 per pack

Hard red fibre.









1/2" Cap & Lining Washer





30 per pack

Hard red fibre.



3/4" Cap & Lining Washer

REGO123



20 per pack

Hard red fibre.



1/2" Ballvalve Seating Washer

REGQ124



20 per pack

Hard red fibre.



3/4" Flex Tap Conn. Washer

REGQ191



15 per pack

Non asbestos Nov30.





1/2" Draw Off Tap Washer



20 per pack

Commercial rubber.



REGQ193

Rubber Bottle Trap Washer



5 per pack

• Rubber.



REGQ194

1/2" Shower Hose Washer



20 per pack

Smooth rubber.



REGQ195

3/4" Washing Machine Hose Washer



10 per pack

Smooth rubber.



See Below

Steel Star Washer



- Available in two sizes:
- REGQ100 M4.
- REGQ101 M5.









Bits'n'Bolt

Meter Union Washers

See Below



Conforms to BS EN 549

- Manufactured from black Neoprene rubber.
 - REGQ185 3/4" 10 per pack. (25.8 x 20.2 x 2.4mm).
 - REGQ186 1" 10 per pack.
 (32.3 x 25.8 x 2.4mm).
- REGQ187 1 1/4" 6 per pack.
 (42.5 x 35.3 x 2.4mm).
- REGQ188 1 1/2" 3 per pack.
 (53.6 x 44.3 x 2.4mm).
- REGQ189 2" 2 per pack.
 (71.4 x 57.5 x 2.4mm).

(outside diameter \pm 0.4mm x inside diameter \pm 0.4mm x thickness \pm 0.2mm)

Meter Adaptor Washers

See Below



Conforms to BS EN 549


- Manufactured from black Neoprene rubber.
 - REGQ175 3/4" 6 per pack. (29.0 x 21.4 x 3.2mm).
 - REGQ176 1" 6 per pack.
 (36.5 x 27.0 x 3.2mm).
 - REGQ177 1 1/4" 4 per pack.
 (45.5 x 36.5 x 3.2mm).
 - REGQ178 1 1/2" 3 per pack. (56.5 x 45.5 x 3.2mm).
 - REGQ179 2" 2 per pack. (76.0 x 58.8 x 3.2mm).

(outside diameter \pm 0.4mm x inside diameter \pm 0.4mm x thickness \pm 0.2mm).

Steel Flat Washer

See Below

- Available in two sizes:
- REGQ90 M4.
- REGQ91 M5.



Liquid Fuel





















Liquid Fuel

• Flared Fittings 176 Brass Flared Fittings, Flaring Tool.
Oil Filters, Water Finding Paste, Nozzle Case, Nozzle Spanner etc.
• Report Pads Liquid Fuel Report Pads
O Stickers 188
Suction Pumps, Pressure Test Kits, Manifolds, Pressure Gauges etc.

Liquid Fuel

Metric Flaring Tool



For 4mm - 16mm diameter pipes.

· Supplied in protective carry case.

REGOIIO

Flared Fitting Elbow



• 10mm Elbow - Equal (two nuts).

REGO113

Flared Fitting



Flared Fitting Union



10mm Union x 1/4" bspt (one nut).



• 10mm Elbow x 1/4" bspt (one nut).

iquid Fuel









Aluminium Oil Filter

REG070

1/4" bsp

- Supplied complete with paper element.
- Fits in the oil line between the oil storage tank and the oil fired boiler to ensure a clean supply of oil to the burner.
- Easily fitted and helps reduce maintenance of the burner.



REG071

Paper Filter Element 15 Micron



- Fits the REGO70 Filter (above).
 Diameter approx: 40mm
- Diameter approx: 40mm.
 Height approx: 37mm.

REG072

Stainless Steel Filter Element 60 Micron



- Fits the REGO70 Filter (above).
- Diameter approx: 40mm.
 Height approx: 37mm.

REG073

Stainless Steel Filter Element 100 Micron



- Fits the REGO70 Filter (above).
- Diameter approx: 40mm.
 Height approx: 37mm.

Heldite Universal Sealant

REGMO8

250ml with brush applicator

HELDITE is a high performance sealant for preventing leakage of Oils, Hydraulic Fluids, Water, Steam, Gases, Coolants and Fuels (excluding ethanol) in all branches of Automotive, Auto Mechanical, Electrical and General Engineering, Plumbing, Heating and Pipeline Services.

- · Flexible and adhesive.
- Completely waterproof.
- Non-abrasive, anti-corrosive and inert.
- Temperature range: -40°C to +350°C.

Not compatible with Ethanol and potable water



REGO03

Kolor Kut Water Finding Paste



Water finding Paste

- Net wt. 3ozs (85a).
- · For testing for the presence of water at the bottom of fuel storage tanks.
- Applied to a rod or length of string with bottom weight, the brown paste changes colour to brilliant red where it comes into contact with water giving you a visual indication as to the depth of the water present.

REGO02

Kolor Kut Fuel Finding Paste



Fuel finding Paste

- 62g jar.
- Easily test for diesel, petrol, kerosene, crude oil & jet fuels.
- Pink paste turns bright red after contact with fuel, indicating the level in the tank.
- Paste is made entirely of non-hazardous materials and cleans off easily after use.

REGT56

Oil Burner Flue Brush Set

Set of 3 brushes

Set comprises: 25mm (1") round x 500mm, 50mm (2") round x 500mm & 75mm (3") round x 900mm brushes.









d Fue

Oil Burner Nozzle Case

REGO95

- Suitable for oil burner nozzles.
- Storage for up to 40 nozzles with foam. padding.
- Complete with carry handle.



Oil Burner Nozzle Spanner

REG096

- High Quality Oil Burner Nozzle Wrench for removing the nozzle from the Nozzle Adapter.
- · Proven design for one handed ease of removal and installation.
- Chrome plated and rugged.
- Standard 5/8" x 3/4" double independent socket.



Flue Rake

REGT57

 The flue rake reaches the stubborn parts that brushes won't reach. It has a chisel at one end and a flat scraper at the other.

Appliance Scrape Away Set

REGT59

 Can be used on flat surfaces for carbon deposit removal



REGPOIL

Domestic Liquid Fuel Fired Pressure Jet Appliance Service, Commissioning & Inspection Record Pad



25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired boilers.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.

REGPO13

Domestic Liquid Fuel Storage (up to 3,500 litres) & Supply Inspection Record Pad



25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 1 2019 when inspecting domestic oil and liquid fuel storage and supply systems as part of an appliance service or commissioning visit.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.



Non-Domestic Liquid Fuel Fired Single Combustion Appliance Service & Inspection Record Pad

REGPO21

25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 2 2018 when servicing or commissioning non-domestic oil and liquid fuel fired appliances with 2 stage burners.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.



Non-Domestic Liquid Fuel Storage (up to 10,000 litres) & Supply Inspection Record Pad

REGPO23

25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 2 2018 when inspecting non-domestic oil and liquid fuel storage and supply systems.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features it's own unique Report Reference number.



REGPO15

Liquid Fuel Common Fault Pad



25 reports in triplicate

- · Saves time and money when Servicing or Commissioning.
- Provides added litigation protection
- Simple and quick tick box format for Potential & Immediate Risks against common faults
- Engineers terms and conditions pre-printed on reverse
- Compiled from over 10 years' worth of engineer's face to face feedback
- Up to date with latest versions of BS 5410 Parts 1 & 2
- Suitable for Domestic & Non-Domestic applications
- Three copy for tenanted properties (Site, Client and Engineer).
- Each report features it's own unique reference number.

REGPO10

Domestic Central Heating & Hot Water System Inspection / Commissioning Report Pad



25 reports in triplicate

- Essential document designed to demonstrate compliance when commissioning wet central heating systems.
- Use to create a physical record of service and inspection works to wet central heating systems.
- Pre-printed industry generic terms and conditions on reverse to advise, inform and protect you and your customer.
- Provides key check points to follow.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- · Each report features it's own unique reference number.

REGPO12

Domestic Liquid Fuel Fired Vaporising Appliance Service, Commissioning & Inspection Record Pad



25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired vaporising appliances.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features it's own unique reference number.



REGPLO1

Safety Warning -(Liquid Fuel) Immediate Risk Do Not Fill Sticker / Tag



8 stickers/tags per pack

- Measures approx. 140 x 100mm.
- For application to oil and liquid fuel storage tanks where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- · Cable ties provided.

REGPLO2

Safety Warning -(Liquid Fuel) Immediate Risk Do Not Use Sticker / Tag



8 stickers/tags per pack

- Measures approx. 140 x 100mm.
- For application to oil and liquid fuel fired appliances and equipment where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and end users of oil and liquid fuel fired appliances and equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO3

Safety Warning -(Liquid Fuel) Potential Risk Identified Sticker / Tag



8 stickers/tags per pack

- Measures approx. 140 x 100mm.
- For application to oil and liquid fuel storage tanks, appliances and equipment where potential, Fire, Safety and/or Environmental Risks are identified.
- Clear warning to owners and custodians of storage tanks, appliances and associated equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO4

Service Reminder - (Liquid Fuel) Sticker / Tag



8 stickers/tags per pack

- Measures approx. 100 x 125mm.
- Great for repeat business and recommendations.
- Reminds your customers who you are and the work you've done.
- Reminds of the importance of regular servicing and inspection.

REGPLO8

Warning - This Tank Contains Kerosene Sticker



Pack of 5 stickers

- Measures approx. 210 x 148mm.
- Tank storage safety label for tanks containing Kerosene.

REGPLO9

Warning - This Tank Contains HVO Sticker



Pack of 5 stickers

- Measures approx. 210 x 148mm.
- Tank storage safety label for tanks containing Hydrotreated Vegetable Oil.

REGO85

Oil Suction Pump



Regin Oil Suction Pump

- The Regin oil-priming pump is doubly efficient, because it extracts and fills simultaneously with every stroke. Can be used for transfilling fuel oils, mineral, synthetic and biological oils, benzine, coolants, antifreeze, ethyl alcohol, petroleum, brake fluid and others.
- For the start-up of oil burner systems.
- Transfers the oil easily and quickly from the tank to the burner.
- No more difficult filling of the oil line required.
- Indispensable if the tank is empty.
- Avoids harmful dry-running of the oil burner pump.
- Complete with 1 x suction hose with 3/8" connection and 1 x drain hose.

REG090

Vaporising Kit



- To enable Service & Commissioning Technicians to easily and conveniently level vaporising burner bases bi-directionally (reducing time and expense), and the accurate calibration of low and high fire cold flow rates. Also measures cold oil depths for most vaporising appliance burner types.
- Kit comprises: Steel Levelling Plate, Bulls-eye Level, Steel Rule, Measuring Cylinders x 2 & Stopwatch and sturdy carry case.

REGX80

Smoke Test Kit



- Kit comprises:
 - Smoke Test Pump with 200mm sampling probe, Smoke comparison chart, maintenance oil & filter papers.
- Spares available: REGX83 Filter Paper Strips.



Oil Pressure Test Kit

REGO80



Kit comprises:

Oil Pressure Test manifold (REGO40), Flexible Hose (REGO41), Pressure Gauge 0-300psi (REGO60).

Supplied in a nylon zip bag.

Oil Vacuum Test Kit

REGO81



Kit comprises:

Oil Pressure Test manifold (REGO40), 1/8" bsp Flexible Hose (REGO41), Vacuum Gauge 0 to -1000mbar (REGO69).

Supplied in a nylon zip bag.

Oil Pressure Test Manifold

REG040



 Used in conjunction with a variety of pressure gauges. **Flexible Hose**

REGO41



• 1/8" bsp female x 1/8" bsp female flexible hose.

@REGINPRODUCTS

WWW.Reginlouk

See Below

Glycerol Filled Pressure Gauge

REG066



0 - 300psi

- 1/8" bsp male Bottom entry.
- Glycerol filled.

REGO68



0 - 600psi

- 1/8" bsp male Bottom entry.
- Glycerol filled.

See Below

Pressure Gauge



REG060

- 0 300psi
- 1/8" bsp male -Bottom entry.

REGO65



• 1/8" bsp male - Bottom entry.

REGO69

Vacuum Gauge



0 to -1000mbar

 1/8" bsp male -Bottom entry.















Test Equipment
Tools
Consumables
Stove
Bits n Bolts
Liquid Fuel

Find ©:
your
Stockist ©





@reginproducts

www.regin.co.uk

	REGA01 130	REGB77 58	REGEDLC2	
	REGA02 130	REGB8365	REGEDLD2	.79
	REGA05 132	REGB90 65	REGEDLNV1	.79
	REGA06	REGC1070	REGEEAA4L	. 79
`	REGA07 133	REGC19 92	REGENV1	. 78
	REGA10	REGC20	REGEP20	128
	REGA15	REGC21 92	REGEP21	128
	REGA20	REGC2292	REGEP22	128
	REGA22 135	REGC24 92	REGEP23	128
	REGA23	REGC2592	REGEP24	128
	REGA25 134	REGC30 92	REGEP25	128
	REGA30 134	REGC4098	REGEP26	129
	REGA32	REGC64 96	REGEP27	129
	REGA33 135	REGC6696	REGEP28	129
	REGA35 134	REGE11 54	REGEP29	129
	REGA37 135	REGE12 54	REGEP30	129
	REGA38 135	REGE13 54	REGEP31	129
	REGA40 134	REGE15 54	REGH02	. 57
	REGA45 133	REGE60 55	REGH05	. 57
	REGA46 133	REGE103 50,153	REGH150	. 93
	REGA50	REGE105 50,153	REGH150L	. 93
	REGA55 133	REGE106 50,153	REGH200	. 93
	REGA60 134	REGE210 52	REGH230	
	REGB0166	REGE211 52	REGH300	. 93
	REGB0566	REGE21652	REGH300FR	. 93
	REGB1066	REGE22552	REGH350	. 93
	REGB1566	REGE251 51,152	REGH450	. 93
	REGB1964	REGE25251	REGJ01	136
	REGB2662	REGE27551	REGJ55	
	REGB27 59	REGE285 53	REGJ56	
	REGB2862	REGE36055	REGJ57	
	REGB3160	REGEAA478	REGJ58	
	REGB3260	REGEAAA4 78	REGJ59	
	REGB3361	REGEC278	REGJ60	
	REGB3660	REGECR123A78	REGJ64	
	REGB38 60	REGED2	REGJ65	
	REGB54 63	REGEDLAA4 79	REGJ70	
	REGB70 51	REGEDLAAA479	REGJ71	131



	REGJ72	131	REGL45	139	REG072	
	REGJ75	131	REGM08	108,177	REG073	177
	REGK01	10-11	REGM20	108	REG080	185
	REGK05	116	REGM25	86	REG081	185
	REGK07	116	REGM26	86		184
	REGK09		REGM29	85	REGO90	184
	REGK10	13	REGM31	27	REG095	73,179
	REGK12	98	REGM32	38	REG096	179
	REGK13	98	REGM33	27	REGO100 .	176
	REGK14	98	REGM35	84	REGO110 .	176
	REGK15		REGM36	84	REG0113 .	176
	REGK17	118	REGM38	84	REGO119 .	176
	REGK20	118	REGM39	85	REGP01	123
	REGK21	120	REGM40	44	REGP02	
	REGK22	121	REGM41	44		
	REGK25		REGM42	44	REGP10	123
	REGK26		REGM44			123
	REGK28		REGM45			124
	REGK29		REGM46	87		124
	REGK30		REGM47	87		122
	REGK31		REGM48	87		122
	REGK32		REGM59	56		125
	REGK33	420	REGM60	56		95,125,145
	REGK34	15,68	REGM62	56	REGP34	
	REGK40		REGM66	89		122
	REGK44		REGM70			124
	REGK55		REGM76	57		125
	REGK60		REGO02			125
	REGK74		REGO03		REGP43	124
	REGK75		REGO40	185		125
	REGK80		REGO41	185		99
	REGK90		REGO60	186		100
þ		76,94	REGO65	186		99
		94	REGO66	186		99
	REGL10		REGO68	186		101
	REGL15		REGO69			101
	REGL30		REGO70	177		100
	REGL40	139	REGO71		REGP58	101
	/		1		1	





	REGP59 102	REGQ07165	REGQ121 170
	REGP61 100	REGQ08165	REGQ122
	REGP62 102	REGQ09165	REGQ123 170
	REGP63 103	REGQ15165	REGQ124 170
^>	REGP64 103	REGQ17 165	REGQ125161
	REGP65 102	REGQ25	REGQ127 161
	REGP66	REGQ28165	REGQ128161
	REGP70 103	REGQ31165	REGQ129161
	REGP71 103	REGQ32165	REGQ130161
	REGP80 29,103	REGQ33165	REGQ131161
	REGP94 34,125	REGQ34165	REGQ132 161
	REGP9595	REGQ50	REGQ136 154
	REGP9695	REGQ51160	REGQ138 154
	REGP9795	REGQ70160	REGQ140
	REGP9895	REGQ71160	REGQ141 154
	REGP99 95	REGQ75160	REGQ142154
	REGPC1 104	REGQ80166	REGQ143154
	REGPC2 104	REGQ81166	REGQ144154
	REGPC3 104	REGQ82166	REGQ145154
	REGPL01 126,183	REGQ83	REGQ146154
	REGPL02 126,183	REGQ86166	REGQ147154
	REGPL03 127,183	REGQ90173	REGQ148 154
	REGPL04 127,183	REGQ91173	REGQ149154
	REGPL08 126,183	REGQ100 172	REGQ150154
	REGPL09 127,183	REGQ101172	REGQ151 154
	REGPO10 107,182	REGQ102169	REGQ152 154
	REGPO11 106,180	REGQ103169	REGQ153154
	REGPO12 107,182	REGQ104169	REGQ154154
	REGPO13 106,180	REGQ105169	REGQ155
`	REGPO15 107,182	REGQ106169	REGQ156154
	REGPO21 105,181	REGQ107169	REGQ157154
	REGPO23 105,181	REGQ108169	REGQ158 154
	REGQ01165	REGQ109 170	REGQ159154
	REGQ02165	REGQ110168	REGQ160
	REGQ03165	REGQ111168	REGQ161
	REGQ04	REGQ112 168	REGQ170
	REGQ05165	REGQ115168	REGQ175 173
	REGQ06165	REGQ120170	REGQ176 173



REGQ177 173	REGQ240150	REGQ709 162
REGQ178 173	REGQ304160	REGQ710162
REGQ179 173	REGQ306160	REGQ711162
REGQ180	REGQ310160	REGQ712162
REGQ181156	REGQ314160	REGQ713 162
REGQ185 156,173	REGQ316152	REGQ714 162
REGQ186 156,173	REGQ600	REGQ715 162
REGQ187 173	REGQ601	REGQ716
REGQ188173	REGQ602155	REGQ717 162
REGQ189173	REGQ610157	REGQ718162
REGQ190170	REGQ611157	REGQ719162
REGQ191170	REGQ615158	REGQ720162
REGQ192 172	REGQ616	REGQ721162
REGQ193	REGQ619 158	REGQ722162
REGQ194 172	REGQ620159	REGQ723 162
REGQ195 172	REGQ622159	REGQ724 162
REGQ200150	REGQ623159	REGQ725 162
REGQ201150	REGQ630 138,167	REGQ726162
REGQ202150	REGQ632 138,137	REGQ727 162
REGQ204 150	REGQ634 ,138,167	REGQ728 162
REGQ205	REGQ641 136,167	REGQ729162
REGQ210151	REGQ642 136,167	REGQ730 162
REGQ215151	REGQ643 136,167	REGQ751 163
REGQ216	REGQ644 136,167	REGQ752163
REGQ217 151	REGQ645 136,167	REGQ753
REGQ218151	REGQ646 136,167	REGQ754 163
REGQ219151	REGQ647 136,167	REGQ755 163
REGQ220 92,150	REGQ648 136,167	REGQ756 163
REGQ221 164	REGQ660	REGQ757 163
REGQ222164	REGQ680158	REGQ758 163
REGQ223164	REGQ701162	REGQ759 163
REGQ224164	REGQ702162	REGQ760
REGQ230152	REGQ703162	REGQ761 163
REGQ231 152	REGQ704162	REGQ762 163
REGQ235157	REGQ705162	REGQ763163
REGQ236 157	REGQ706	REGQ764 163
REGQ237155	REGQ707 162	REGQ765 163
REGQ238155	REGQ708	REGQ766163





	REGQ767 163	REGS40	57,114	REGT58	46
	REGQ768163	REGS50	114	REGT59	179
	REGQ769163	REGST01		REGT71	
	REGQ770163	REGST02		REGT72	. 44,158
`	REGQ771163	REGST03	147	REGT75	
	REG0772163	REGST10	77,142	REGT76	
	REGQ773163	REGST15	77,142	REGT78	46
	REGQ774163	REGST20		REGT79	46
	REGQ775163	REGST25	143	REGT80	45
	REGQ776	REGST30	143	REGT81	48
	REGQ777	REGST32	143	REGT82	48
	REGQ778163	REGST34	143	REGT83	48
	REGQ779 163	REGST36	143	REGT84	48
	REGQ780163	REGST40	143	REGT85	45
	REGQ820157	REGST42	143	REGT86	49
	REGQ825157	REGST44	143	REGT87	49
	REGQ835157	REGST50	145	REGT88	49
	REGR01 21,81	REGST65	89,145	REGT89	49
	REGR05 21,64,81	REGST75	40,146	REGT95	72
	REGR08 23,73,83	REGST80	147	REGU01	26
	REGR09 22,82	REGT04	61	REGU03	25
	REGR10 21,81	REGT08		REGU04	
	REGR11 97	REGT11	71,156	REGU05	
	REGR12 97	REGT16		REGU10	
	REGR13 64	REGT17	MINERAL EL TITO DE LES	REGU15	
	REGR15 23,83	REGT18	6	REGU20	
	REGR18 97	REGT19		REGU25	
	REGR30 96	REGT20		REGU27	
	REGR50 27	REGT24		REGU28	No. 10 10 10 10 10 10 10 10 10 10 10 10 10
	REGR60 22,82		69	REGU29	
	REGR65 22,82	REGT30	69	REGU30	
	REGS06 114	AND THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED ADDRESS OF THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF	69	REGU31	
	REGS07 114	REGT35		REGU32	
	REGS15 112	REGT40		REGU33	
	REGS20 112	REGT51		REGU34	
	REGS21 112-113	REGT55		REGU35	THE RESERVE OF THE PERSON OF T
	REGS25 113	REGT56		REGU36	
	REGS30 113	REGT57	179	REGU37	96



REGU38	96	REGW55	80
REGU39	96	REGW80	80
REGU40	.16-17	REGX01	31
REGU41	96	REGX10	13
REGU42		REGX37	30
REGU44	96	REGX38	30
REGU45	18	REGX39	30
REGU50	20	REGX75	31
REGU55	20	REGX80	184
REGU60	20	REGXA1	28
REGU65	20	REGXA5	29,98
REGU68	20	REGXA6	29,73
REGU70	17	REGXA7	29,73
REGU75	25	REGXA55	29
REGU77	24	REGXA56	29,98
REGU78	24	REGXE01	12
REGU79	24	REGXE09	6
REGU80	25	REGXE15	8
REGU81	. 26,62	REGXE40	8
REGU83		REGXE45	
REGU98		REGXE50	
REGV10	40	REGXE65	39,146
REGV11		REGXE68	38,146
REGV15	39	REGXE70	39
REGV20	41	REGXP5	36-37
REGV25	41	REGXS10	35
REGV30	41	REGXS15	33
REGV45	41	REGXS19	6,33
REGW01		REGXS22	
REGW31		REGXS150	34
REGW40		REGXS400	
REGW41	90	REGXS500	
REGW42	90	REGXS600	
REGW43		REGXS700	36-37
REGW44	91	REGY05	115
REGW45	91	REGY10	115
REGW46		REGY12	
REGW50	80	REGY16	88
		/	

										,			88	
1				4							1	Q	88	
				,	,	,	,	,	,		,		88	
		*										*	88	
,						×	0						76	
9	þ	Ġ,		ú			4	×	S	į,			76	
					-	Ŕ						1	09	
									,		+	1	09	
				٠		Į	٠	1	1	1	١,	1	44	
							٠	1	1	1	١,	1	44	
'n		ě				è				d	ø	1	10	
	,		٠		9		ø					1	10	
4						ļ					-	1	10	
		+				ļ					9/	1	10	
					J	ļ	g					1	09	
ě		÷		ė		ļ			7	7	7,	1	42	
	18			4					7	7	7,	1	42	
,								1	1	1	١,	1	44	
									1				111,1 111,1	88 88 88 76 76 109 109 111,144 111,144 110 110 110 177,142 77,142

2 Pole Tester with LED	34	Appliance Servic
3-in-1 Autoranging Multimete	er9	Appliance Setting
3-in-1 Thermometer	38	Audible Mains So
3 Way Connector	50,153	
4 Piece Screwdriver Set, VDI	E 51	
4-Way Utilities Key	64	
5 Way Connector	50,153	Back to Black Co
6 Way Connector	50,153	Basin Wrench
7 Piece Brush Set	47	Batteries
9mm Tube Brush	48	Beanie Hat
10mm Burner Hole Brush	48	Bender, Mini Tub
10mm Continuity Bond	70	Bits'n'Bolts
10mm Nut Driver, Flexible		Bits'n'Bolts Retri
20 Piece Cleaning Set	47	Black Duct Tape.
70mm Nylon Tube Brush		Blade, Cleaning .
360 Inspection Lamp	55	Bleed Key
1000V Cable Shears	52	Blue Paper Towe
1000V Pliers		Boiler Case Seal.
1000V Screwdriver Set	51	Boiler Cleaning B
		Boiler First Aid K
		Boiler Flue Brush
		Braided Glass Ya
AAV Removal Tool	69	Braided Rope
Abrasives	44-45	Brass Mini Brush
Abrasive Pads	44	Brass Olive
Abrasive Strip	44	Brass Pressure to
AC Voltage Detector	6	Brushes
Adaptor Washer	173	Brush, Filament .
Air Duster	76	Brush Set
Air Duster, Electronic	12	Bullet Connector
Alkaline Batteries	78-79	Bungee Strap
Allen Keys	60-61	Bungs, Radiator.
Aluminium Oil Filter	177	Burner Hole Brus
Aluminium Tape	131	Burner Nozzle Ca
Analyser Test Hole Cover	159	Butt Connector.
Analyser	28	
Analyser Case	29,73	
Analyser Printer	29	
Analyser Readings Record P	ad 29,103	Cable Shears
Analyser Replacement Filter	29	Cable Ties
Analyser Test Point Plug	30	Cable / Tubing St
Angle Nut		Calico Cotton Du
Angled Pump Adaptor	15	Caravan / Boat Ir
Angled Screwdriver	155	Carbide Abrasive
Anti-Static Wrist Strap	155	Carbon Monoxid
Anti-Surge Fuses	154	Card Holder
Appliance Scrape Away Set	170	Carry Case

Appliance Serviced Sticker / Tag	22
Appliance Settings Sticker	22
Audible Mains Socket Tester	,32

Back to Black Coal Paint 77,14
Basin Wrench
Batteries
Beanie Hat
Bender, Mini Tube 6
Bits'n'Bolts
Bits'n'Bolts Retriever
Black Duct Tape
Blade, Cleaning
Bleed Key
Blue Paper Towel
Boiler Case Seal
Boiler Cleaning Brush
Boiler First Aid Kit
Boiler Flue Brush
Braided Glass Yarn
Braided Rope14
Brass Mini Brush
Brass Olive
Brass Pressure test Nipple
Brushes
Brush, Filament
Brush Set
Bullet Connector
Bungee Strap 5
Bungs, Radiator 6
Burner Hole Brush
Burner Nozzle Case, Oil
Butt Connector

Cable Shears	52
Cable Ties	157
Cable / Tubing Storage Bag	23,73,83
Calico Cotton Dust Sheet	84-85
Caravan / Boat Inspection Pad .	99
Carbide Abrasive Strip	44
Carbon Monoxide Detector	31
Card Holder	
Carry Case	72











Carry Case, Pump
Case, Analyser
Case Seal, Boiler
Central Heating Cleaner
Central Heating Inhibitor
Central Heating Inspection Pad
Chimney & Flue Cleaner
Chimney / Flue Notice Pack
Chimney / Hearth Notice Plates 125,145
Circulation Pump Washer
Clamp Kit, Radiator
Clamp Probes
Cleaner, Central Heating
Cleaner, Glass
Cleaning Blades
Cleaning Set
Cleaning Wipes80
Clip, Jubilee Hose
Coal Paint
Coaxial Wall Test Point Plug30
Combination Pliers52
Combination Spanner Set 63
Commercial Catering Pad 100
Commercial Report Pads 104-105
Commercial Report Pads 104-105
Commercial Report Pads
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70
Commercial Report Pads
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Coolskin Gloves 89
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159 Cotton Dust Sheet 84-85
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159 Cotton Dust Sheet 84-85 CR123 Battery 78
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159 Cotton Dust Sheet 84-85 CR123 Battery 78 Crocodile Clamp Probe 41
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159 Cotton Dust Sheet 84-85 CR123 Battery 78 Crocodile Clamp Probe 41 Cut Resistant Gloves 89-91
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159 Cotton Dust Sheet 84-85 CR123 Battery 78 Crocodile Clamp Probe 41 Cut Resistant Gloves 89-91 CuttaKeep Pipe Cutter Holder 66
Commercial Report Pads 104-105 Compartment Sticker 124,125 Component Exchange Loop Tester 36-37 Condensing Boiler Installation Pad 103 Condensing Type Test Point Plug 30 Connector Strip 152 Contact Thermometer, Pipe 39 Contact Voltage Detector 33 Continuity Bond 70 Continuity / Voltage tester 8 Contour Turner 57 Contract Manometers 19 Control Knob D Clip 166 Cooker Stability Chain 98 Core Screwdriver 15,68 Cotter Pin 159 Cotton Dust Sheet 84-85 CR123 Battery 78 Crocodile Clamp Probe 41 Cut Resistant Gloves 89-91

D Clip	166
Danger Do Not Use Pad	
Decommissioned Appliance Pad	
Detector - Voltage	
Diagonal Cutting Pliers	
Diamond Sticker	
Differential Thermometer	
Digitemp Thermometer Kit	
Discreet Compartment Sticker	
Discs, Sealing	
Dished Nut	
Disposable Anti-Static Wrist Strap	. 158
Do Not Use Sticker	
Double Sided Foam Tape	
Drain Down Hose Kit	
Drainage	7/1-
Drainage Pad	
Draineasy Radiator Draining Kit	21.8
Draining Kit, Radiator	
Dry Pipe Pressure Test Certificates	
Dry Pipe Pressure Test Kit	
Duct Tape	
Duo Voltage Sensor	
Duracell Batteries	
Dust Sheet	
Dusta Duo Air Duster & Vacuum	12
Duster, Aerosol	
Earthing Clamp	. 157
Electrical Bonding Sticker	
Electrical Connector 5	0,150
Electrical Fuse Kit	. 118
Electrical Hand Tools	51-53
Electrical Kit	. 118
Electrical Safe Isolation Kit	34
Electrical Screwdriver	(
Electrical Testing	. 6-9
Electrical Warning Sticker	3-129
Electronic Air Duster	12
Emergency Control Sticker	. 125
Energizer Lithium Batteries	
Engineers Cleaning Set	





Engineers Service Mat84
Extinguisher, Fire
Extra Long Drain Down Hose 23,83
Extra Long Screwdriver Set

Fan Puller
Fibre Washers
Filament Hex Brush
Filling Kit
Filter, Analyser
Filter Element
Finger Drivers
Fire Blanket
Fire Extinguisher
Fire Rated Inspection Hatch93
First Ald Kit
First Aid Kit, Boiler
Fixative, Glass Yarn / Rope
Flared Fittings
Flaring Tool
Flat Washer
Flexible 10mm Nut Driver62
Flexible Hose
Flexible Multi-Driver
Flux Brush Set
Flue Gas Path Brush
Flow & Pressure
Flow Cup
Flue / Fireplace Commissioning Certificates . 103
Flue Cleaner
Flue Rake
Flue'n'Fire Seal Silicate Cement
Flux Brush
Foam Sealing Tape
Foil Tape
Folded Nut
Free-Air Gauge Kit 70
Fuel Finding Paste
Full Nut
Furnax Smoke Pellets
Fuse Kit 116,118
Fuses

Gas Cock Grease	109
Gas Detection	28-31
Gas Hob Test Adaptor	24
Gas Leak Detector	31
Gas Leak Spray	
Gas Safety Inspection Pad	
Gas Safety Record Pad	
Gas Tap Lubricant	
Gas Tape	
Gas Test Nipple Adaptor	
Gas Valve Sticker	
Gas & Water Jointing Compound	108
Gauge, Pressure	
Gel, Sanitising	80
Giant Silicone Spray	76
Glass Cleaner	77,142
Glass Yarn	88
Glass Yarn Fixative	88
Gloves	90-91
Gloves, Heat Resistant	
Glycerol Filled Gauge	186
Grate Polish	145
Grease, Silicone	
Grip Spin Finger Drivers	61
Gun, Sealant	

Hand Pump	14,15
Hand Sanitising Gel	80
Hand Wipes	80
Hat	89
Hatches, Inspection	
Headlight	54
Heat Exchanger Cleaning Brush	n 48
Heat Resistant Gloves	89,145
Heat Sink Compound	109
Heavy Duty Hand Wipes	80
Heldite Sealant	108,177
Hex Bolt	165
Hex Brush	
Hex Key Set	60-61
Hex Pump Key	60
High Temp. Silicone Sealant	110-111,144
Hi-Viz Yellow Tube	20
Hob Test Adaptor	
Holdall / Carny Caca	14.70













Hole Cover	159
Hook & Pick Set	65
Hose Clip	157
Hose Joiner	
Hose Kit, Drain Down	
Hot-Tote Open Toolbox	
Hot Water Sticker	
HVO Sticker	
ID Card Holder	go
ID Tape	
Ignition Lead	
Ignition Lead Connector	
Illuminated Magnetic Retriever	
Immersion Probe	
Imperial O-Rings	162
Inflator, Vessel Jet	
Infra Red Thermometer	
Inhibitor	
Inspection Hatches	
Inspection Lamp	
Inspection Mirror	
Installers Service Kit	
Insulated Ring Connector	
Insulation Stripper Pliers	
Insulation Tape	136,167
Interchangeable Screwdriver Set	
Intumescent Sealant	110
J Gauge Fluid	19
J Gauge Manometer	
Joiner, Hose	
Jointing Compound	108
Jubilee Clip	157
Kerosene Sticker	126
Keyring	
Keyring, Radiator Key	
Kingsize Smoke Pellets	
Kneeling Mat	
Kolor Kut Paste	1/8

Laminated Dust Sheet	
Landlord Pad	
Lanyard	89
Lead, Ignition	9
Leak Detection Fluid	94
Leak Shot	9
Leak Spray	94
Leak Spray, Aerosol	76,9
LED Pen Light	54
LED Work Light	54
Legionnaire Risk Pad	. 100
Lighter, Smoke Pellet	7,11
Lighting	4-5
Liquid Fuel Products	. 174
Liquid Fuel Report Pads 105-107,180)-182
Liquid Fuel Sticker / Tag 126-12	7,18
Liquid Fuel Tape	. 130
Location Plates	9
Lock Off Plate / Tag	4,12
Locking Off Device	3
Long Radiator Brush	
Long Screwdriver Set	
Long Screwdriver Set	58
	58 86-3
LPG Pressure Relief Kit	58 36-37 24
Loop Tester	58 36-37 24

M8 Pressure Test Point	::::±				+:		* : :			.15
Mag Dish										
Mag Tip Screw Holder				ļ.	30)	***	*			5
Magfoot Site Light						*		1.4		5
Magnet Tester				Į	44					6,7
Magnetic Dish					+	*	803			5
Magnetic Retriever					*	*				7
Magnetic Screw Holder						*				5
Magnetic Wristband	17							0.7		5
Magtester Plus					*	*)				7
Mains Socket Tester					*	*	* *			3
Mains Test Screwdriver					*					.15
Mains Water Pressure Test I	≺it			,	*	*	*))			2
Maintenance Service Pad .				ļ,		*		/ 19	*	.10
Manifold, Oil Pressure Test					i.			7/6		.18
Manometer Fluid		2			Ť.					1

Manometer Rigid Tube	5
Manometers	9
Mat, Kneeling	5
Mat, Service	4
Matches, Smoke11	4
Mechanical Kit11	8
Meter Adaptor Washers	3
Meter Box Key	
Meter Sealing Discs	
Meter Union Washers	
Metric Hex Key Set	
Metric O-Rings	
Micro Ratchet Wrench	
Micro Socket & Bit Set	
Mini Brushes	
Mini Pads	
Mini Premier Gauge	
Mini Tube Bender	
Mini Tube Cutter	
Miniature Brush Set	
Mirror, Inspection	
Control of the state of the sta	
Miscellaneous Tool Spares	
Mobile Catering Pad10	
Mobile CO	
Moisture Meter	
Monobloc Spanner Set	
MRT Manometer Rigid Tube	
Multi Drain Down Hose	
Multi Tool	
Multi-Driver, Flexible	
Multi-Test Screwdriver	
Multi-Thermometer with Probe3	
Multimeter	
Multimeter, One-Touch	9
Neon Mains Test Screwdriver	7
Neoprene Tube	0
Neoprene Washers	3
Nipple Adaptor	
Notice Plate, Chimney / Hearth	
Nozzle Case	
Nozzle Spanner	
Nozzles, Silicone, Spare	
Nut Driver, Flexible	
Note: 46	

O-Ring Kit	120-121
O-Rings	162-163
Oll Boiler Flue Brush Set	47
Oil Burner Flue Brush Set	178
Oil Burner Nozzle Case	
Oil Burner Spanner	
Oil Filter	
Oil Pressure Test Kit	
Oil Pressure Test Manifold	
Oil Suction Pump	
Oil Tape	
Oil Vacuum Test Kit	
Oiler, Zoom Spout	
Olives	
Olive & Washer Kit	
One-Click Ratio Analyser	
Open Toolbox	
Organiser Case	

Nylon Tube Brush .

Paint, Coal
Paint, Stove
Paints
Pan Screws
Panasonic Batteries
Paper Filter Element
Paper Towel
PCB Support Post
Pellet Igniter
Pellets, Smoke
Pen Light54
Pick & Hook Set
Piggy Back Connector
Pilot Tube Kits97
Pipe Contact Thermometer
Pipe Cutter Holder
Pipe Labels
Pipe Saw
Pipe Thermometer, Stove
Plates, Location
Plumbers Swivel Saw













Plumbers Work Mat86	Radiator Draining Kit
Plumbing Hand Tools58-66	Radiator Key Keyring
Pocket Infra Red Thermometer39	Radiator Valve Tops97
Pocket Rocket	Radtrap Drainage Pad21,81
Post, PCB164	Radvalve Change Kit
Pozi Screws	Rake, Flue
Premier Gauge	Ratchet Screwdriver Set58
Premier Gauge Fluid	Ratchet Wrench, Micro
Premier Gauge Spares	Ratio Analyser
Pressure Gauge	Red Smoke Pellets
Pressure Relief Kit	Regin Keyring
Pressure Test Kit25	Removal Tool, AAV
Pressure Test Kit, Dry Pipe	Repair Tape
Pressure Test Kit, Oil	Replacement Filter, Analyser
Pressure Test Kit, Water	Report Pads
Pressure Test Manifold, Oil	Retriever, Magnetic
Pressure Test Nipple	Ring Connector
Pressure Test Point, M8	Rubber Tube
Pressure Test Tee	
Pressure Vessel Checker	
Pressure Vessel Hand Pump	
Pressure Vessel Inflator	Safe Isolation Kit34
Printer Rolls, Thermal	Sanitising Gel
Printer, Infra-Red	Saw, Plumbers Swivel
Probes, Temperature	Schrader Valve Core
Proving Unit	Schrader Valve Core Screwdriver
PTFE Tape138	Scrape Away Set
Puller, Fan	Screw Holder, Magnetic
Pump Adaptor	Screwdriver Set, Extra Long
Pump Carry Case	Screwdriver Set, Interchangeable
Pump Key, Hex	Screwdriver Set, Ratchet58
Pump Washer	Screwdriver, Terminal
Purging Pad, Domestic	Screws
Push-On connector	Sealant Gun
PVC Insulation Tape136,167	Sealant Nozzles
	Sealants, Pastes & Lubricants
	Sealing Discs, Meter
	Sealing Tape
Quick Blow Fuses154	Service Kit117
	Service Mat84
	Silicate Cement
	Silicone Carbide Abrasive Strip
Radiator Bleed Key	Silicone Grease
Radiator Bleeder Set	Silicone Repair Tape
Radiator Brush	Silicone Sealant110-111
Radiator Bungs	Silicone Spray
Radiator Clamp Kit	Silicone Tube



Single Sided Foam Tape	
Single Wall Test Point Plug	
Site Light	
Smart Metering	
Smart Metering Kit, Electrical	
Smart Metering Kit, Gas	
Smoke Matches	
Smoke Pellets	
Smoke Test Kit	
Smoke Wands	
Sniffa Plus	
Socket & Bit Set	59
Socket Tester	
Soft Bristle Brush	
Solder Mats	
Spanner Set	
Spanner Set, Monobloc	
Spanner, Nozzle	
Spare Parts, Premier Gauge	
Specialist Part Kits	
Specialist Tools	
Spin Drivers	
Spire Nut	
Spray, Leak	
Spray, Silicone	
Spring Loaded Basin Wrench	
Standard Fuses	
Standard Tube Cutter	
Star Washer	
Steady Stream Smoke Wands	
Steel Earthing Clamp	
Steel Filter Element	
Steel Mini Brush	
Steel Washer	
Steel Wire Brush	
Stem Thermometer	
Stickers & Tags	
Stopwatch	
Storage Bag, Tubing / Cable	
Stove & Grate Polish	
Stove Glass Cleaner	
Stove Gloves	
Stove Paint	
Stove Pipe Thermometer	
Stove Range	
Stove Rope	
Stove Smoke Matches	147

Stove Smoke Pellets	Į.	(4)	*		*	-					*	(4)	*	(4)	*		.147
Straight Pump Adapt	or		·					×		,		2		7)	¥	k	15
Strain Relief Connect	or	ik.							0						5	0	,153
Strap, Bungee							9				(*)	*	*	2)			57
Stripper Pliers											N	2)					51
Stubby Screwdriver S	èe	t									*				*		58
Stubby Spanner Set	١.		,	,										2.1			63
Stumpy Sealant Gun	l.		v.		.55						*	1					65
Suction Pump, Oil .		×								2	*	(4)		*	į		.184
Superglue	ı.				•						W.						.158
Support Post							9				*	(4)	0				.164
Surface Probe		,	,				,			,	7						41
Swivel Saw		4									T.			*			65

T Handle Hex Key
Tamper Proof Radiator Tops97
Tap Spanner Set
Tap Turner
Tap Washer
Tape, Aluminium Foil
Tape, PTFE
Tape, Underground
Temperature Kits
Terminal Driver
Test Nipple
Test Nipple Adaptor
Test Point Plug30
Test Screwdriver
Test Tee
Tester, Thermocouple
Therma-FloCup
Thermal Printer Rolls
Thermocouple Split Nut
Thermocouple Tester71
Thermocouple Thread Gauge Keyring
Thermometer Kit40
Thermometer, Infra Red
Thermometer, Stem
Thread Gauge Keyring71
Ties, Cable
Tool, Multi
Toolbox, Open72
Top Up Hand Pump15
Towel, Paper80
Traceable Tape 130









Treatment Filling Kit 139 Triangle Cleaning Brush .48 Tube Bender .66 Tube Brush .48,49 Tube Cutter .66 Tubing / Cable Storage Bag .23,73,83 Tubing Coils .20 Turbo Pad .115 Two Pole Tester (HiLoz) .33
U Gauge
U Nut
Ultimate Lithium Batteries79
Uncommissioned Appliance Sticker
Underground Tape130
Unicorn Tears
Union Washers
Utilities Key
Vacuum & Air Duster12
Vacuum Gauge
Vacuum Test Kit185
Valve Core
Valve Core
Valve Core .15,97 Valve Core Screwdriver .15,68 Vaporising Kit .184
Valve Core .15,97 Valve Core Screwdriver .15,68 Vaporising Kit .184 VDE Screwdriver Set .51
Valve Core .15,97 Valve Core Screwdriver .15,68 Vaporising Kit .184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48
Valve Core .15,97 Valve Core Screwdriver .15,68 Vaporising Kit .184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98 Volt Stick .7
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98 Volt Stick .7 Voltage Detector .6
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker 13 Vessel Jet 10 Vessel Jet Spare Parts .98 Volt Stick .7 Voltage Detector .6 Voltage Detector, Contact .33 Voltage/Continuity Tester .8
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98 Volt Stick .7 Voltage Detector .6 Voltage Detector, Contact .33 Voltage/Continuity Tester .8
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98 Volt Stick .7 Voltage Detector .6 Voltage Detector, Contact .33 Voltage/Continuity Tester .8 Warning Diamond Sticker .123 Warning Notice Pad .101
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98 Volt Stick .7 Voltage Detector .6 Voltage Detector, Contact .33 Voltage/Continuity Tester .8 Warning Diamond Sticker .123 Warning Notice Pad .101 Washer Kit .117,119
Valve Core 15,97 Valve Core Screwdriver 15,68 Vaporising Kit 184 VDE Screwdriver Set .51 Ventilator Cleaning Brush .48 Vessel Checker .13 Vessel Jet .10 Vessel Jet Spare Parts .98 Volt Stick .7 Voltage Detector .6 Voltage Detector, Contact .33 Voltage/Continuity Tester .8 Warning Diamond Sticker .123 Warning Notice Pad .101

Water / Air Immersion Probe41
Water & Pipe Thermometer Kit40
Water Finding Paste
Water Pressure Test Kit
Waterproof Stem Thermometer
Weir Gauge
Wing Nut
Wipes, Hand
Wire Brush
Wood Moisture Meter147
Work Gloves
Work Light
Work Mat, Plumbers
Workwear
Wrench, Micro
Wrist Strap, Anti-Static
Wristband, Magnetic
Wilstballd, Magnetic
V
Yarn Fixative
Yarn, Glass
Yellow Tube
Z Driver Screwdriver





Regin Products Ltd reserves the right to alter design, material and product specifications of any product in the interests of progress and development without prior notice.

Details and descriptions are correct at time of print. Errors and omissions excepted.


Please Note: All measurements and quantities in this publication are approximate.


Regin Products Ltd 8-13 Tower Square Huntingdon Cambs PE29 7DT www.regin.co.uk


Copyright © Regin Products Ltd

All rights reserved

Additional artwork designed using assets / images from Freepik.com and Vecteezy.com









Regin Products Ltd 8/13 Tower Square Huntingdon Cambs PE29 7DT



@REGINPRODUCTS

WWW.Regin.@.UK